

Revolutionizing Energy Storage: The Role of Plastic Electronics in Advancing Beyond Traditional Batteries

Tongyu Meng *

Department of Materials, Imperial College London, London, SW7 2AZ, The United Kingdom

* Corresponding Author Email: tongyu.meng23@imperial.ac.uk

Abstract. The rapid evolution of electronic devices towards increased portability and versatility has necessitated the development of new materials and technologies that surpass the capabilities of traditional inorganic materials. Conductive polymers and organic materials have emerged as pivotal components in this transformation, offering unique advantages such as lightweight, flexibility, and cost-effectiveness, thereby addressing the growing demand for innovative energy storage solutions. This paper examines the application of conductive polymers in energy storage, focusing on their electrical conductivity mechanisms, advantages over inorganic materials, and their role in developing flexible batteries and supercapacitors. It discusses strategies to enhance their electrochemical performance and addresses challenges such as energy density, stability, and scalability. The integration with renewable energy sources for sustainable development is also explored. The study underscores the potential of conductive polymers to transform energy storage technologies, contributing to environmental sustainability and technological innovation. Through this analysis, the paper aims to provide insights into overcoming current limitations and future research directions, highlighting the importance of conductive polymers in achieving a sustainable energy future.

Keywords: Plastic electronics; Energy storage materials; Flexible Batteries.

1. Introduction

In contemporary society, electronic devices have increasingly become integral to daily human activities, spanning from industrial production to leisure and entertainment. This ubiquity has spurred a demand for devices that are not only more portable but also boast a greater degree of versatility. Consequently, there is a growing interest in developing electronic devices that are lighter, capable of being folded and bent, simpler to synthesize, and environmentally sustainable. Traditionally, the fabrication of electronic devices has predominantly relied on inorganic materials, including metals and silicon-based substances. Despite the significant advancements and breakthroughs achieved with these materials, it is evident that they fall short of fully addressing the evolving demands of humanity [1]. To address these challenges and foster the development of electronic devices that enhance human comfort and convenience, researchers are relentlessly pursuing innovation and exploration. The initial strategy involves the development of novel materials to supplant traditional inorganic constituents. The inherent flexibility and transparency of organic materials, along with carbon-based nanomaterials, empower the fabrication of electronic devices suited for an array of portable applications. This includes wearable electronics, effectively mitigating the limitations inherent in conventional electronic apparatus.

A second pivotal innovation lies in the enhancement of manufacturing technologies. The adoption of additive manufacturing, commonly referred to as 3D printing, facilitates the swift and tailored creation of electronic devices boasting intricate structures. The integration of 3D printing in the production and preparation of cutting-edge electronic devices has significantly advanced the proliferation of portable electronic solutions, distinguished by their superior energy storage capabilities [2]. The third notable innovation encompasses the synergistic integration of electronics with nanotechnology. By leveraging nanotechnological advances, materials are miniaturized, and their electronic properties are significantly altered, facilitating the creation of nano-electronic devices endowed with unique functionalities. Such devices find applications across a diverse spectrum of

fields, including medicine and quantum computing. These advancements have catalyzed the further evolution of electronic devices, substantially broadening their application scope and utility [3].

Plastic electronics, predominantly fabricated from conductive polymers, represent significant material innovations and enhancements over conventional electronic devices. Historically, polymers were regarded as insulators within the realm of human knowledge. However, this perception was fundamentally altered in 1977 with the discovery of the first conductive polymer, challenging prior assumptions. Currently, research into conductive polymers is burgeoning, with these materials finding extensive applications across various domains, including sensors, and light-emitting diodes (LEDs), among others. Their integration into electronic devices constitutes a focal area of contemporary research, underscoring the transformative potential of conductive polymers in the field of electronics [4]. In comparison to inorganic materials, conductive polymers boast a tunable structure, superior flexibility, and cost-effectiveness, positioning them as highly promising materials for energy storage applications. The advancement of plastic electronics heralds the advent of novel energy storage solutions, poised to enhance the utilization and efficiency of renewable energy sources. Furthermore, this development facilitates the fabrication of electronic devices with a greater diversity of forms and features, thereby contributing significantly to the realization of a sustainable energy future.

2. Plastic Electronics in Energy Storage

2.1. Fundamentals of Plastic Electronics in Energy Storage

The electrical conductivity of conductive polymers is intrinsically linked to their distinctive conjugated structures. These polymers are characterized by π -conjugated systems that feature alternating single and double bonds, with the π bonds playing a crucial role in the conduction of electricity. Unlike σ bonds, the electrons constituting π bonds are not bound to maintain the structural integrity of the bond. Instead, they can overlap their orbitals through carbon or nitrogen atoms within the molecular chain, facilitating delocalization to create pathways for electron transport. Consequently, upon the application of an electric field to conductive polymers, these π electrons—akin to the free electrons found in metals—can traverse freely along the molecular chain. This movement enables them to act as charge carriers, thereby generating an electric current [5]. The structure of alternating single and double bonds facilitates the conduction of electrons, making conductive polymers widely used in energy storage.

Compared with conventional inorganic conductive materials, conductive polymers have several distinct advantages. First, inorganic materials are typically heavy and opaque, while conductive polymers and organic materials are light and translucent, which makes them better and more widely used in greenhouses in agriculture, construction, and many other fields. Second, conductive polymers and organic materials generally have good flexibility and can be used to manufacture a variety of flexible electronic devices that can be folded. In contrast, traditional inorganic materials, such as metals, and inorganic semiconductors such as silicon, etc., are brittle and hard and are not easy to bend or deform. Third, conductive polymers and organic materials are easier to regulate properties. By using different synthetic methods or chemical modification methods, the chemical structure of organic materials can be effectively adjusted to change their electrical conductivity, light absorption, and other characteristics. This allows electronic devices made of conductive polymers and organic materials to meet the needs of a wider range of applications [6]. Finally, the preparation of conductive polymers and organic materials usually has a lower cost.

2.2. Conductive Polymers in Energy Storage

Numerous conductive polymers are employed in energy storage applications, with polyacetylene, polyaniline, and polypyrrole being among the most commonly utilized. Polyacetylene consists of the repeating structural unit $(\text{CH}=\text{CH})_n$, wherein hydrogen atoms are amenable to substitution by various groups. Its conjugated structure endows polyacetylene with notable electrical and photoelectric

properties. Beyond the inherent capacity for π electron transport to facilitate electrical conduction, polyacetylene's performance can be further augmented through doping or modification with other materials. Such enhancements aim to improve ion transport capabilities, thereby significantly elevating its conductivity [7].

The molecule of polyaniline is a polymer composed of benzene rings connected by nitrogen atoms in double or single bonds. It has good stability, adjustable conductivity, and photoelectric properties, and has broad prospects for development. There are three main forms of it, namely leucoemeraldine, emeraldine, and pernigraniline. The redox states of polyaniline are different in these three forms. Polyaniline is electrically conductive only in a medium oxidation state. At this time, polyaniline has reversible redox properties, which can occur in the process of charge and discharge, so as to complete the storage and release of charge [7].

Polypyrrole is the conductive polymer formed by polymerization of pyrrole monomer. There are many ways to synthesize polypyrrole, among which electrochemical synthesis is often used to obtain polypyrrole with high conductivity, whose conductivity still mainly depends on its conjugated structure. In addition, polypyrrole can also be doped with halogen electron acceptors by chemical doping methods, which can have a certain ionic conductivity after doping [7].

3. Flexible Energy Storage Devices

3.1. Flexible Batteries

Batteries are indispensable in modern life, and enhancing their electrochemical performance is a dynamic area of research. In light of the significant advancements in electronic devices, particularly the exploration of foldable and stretchable electronics, the development of corresponding flexible batteries has emerged as a pivotal research focus. Several strategies are prevalent in the fabrication of flexible batteries. The primary approach involves substituting traditional rigid and brittle materials with flexible, stretchable, and highly elastic alternatives for key battery components such as electrodes, electrolytes, separators, and supporting substrates. This substitution endows batteries with enhanced bending properties, enabling them to withstand various deformations encountered in practical applications, thereby augmenting their stability. A secondary strategy aims to refine the battery manufacturing process to facilitate the production of thin-film batteries or micro batteries. Through advancements in manufacturing techniques, it is possible to engineer thin electrode structures. This not only substantially reduces the overall thickness and footprint of the batteries but also imparts superior flexibility and bendability. The third strategy focuses on the innovation of new flexible battery configurations and the continuous optimization of battery architecture. By revising and enhancing the conventional battery design to eliminate certain components, the rigidity and brittleness of batteries can be significantly reduced, thereby improving their flexibility. Lastly, a common method involves the processing and modification of traditionally rigid materials to achieve a flexible structure. This approach allows the fabrication of batteries that possess flexibility, bendability, and foldability, marking a significant advancement in battery technology [8, 9].

Due to good conductivity and excellent flexibility, conductive polymers have become one of the excellent choices for manufacturing flexible battery materials. Polyaniline, polypyrrole, and so on are commonly used in the preparation of flexible batteries. In addition to conductive polymers, some carbon-based materials and nanomaterials are also available.

3.2. Flexible Supercapacitors

In addition to batteries, the development of portable and flexible electronic devices has also put forward requirements for the improvement of the flexibility of supercapacitors. The study of flexible supercapacitors has become the key to current research.

Traditional capacitor electrodes usually use some micron-scale particle materials, which are relatively poor in toughness and prone to brittle fracture when subjected to mechanical deformation. The discovery and use of conductive polymers have effectively improved this problem. The use of

conductive polymers to manufacture the electrodes of supercapacitors can not only improve the capacitance and energy density of supercapacitors but also make them able to withstand mechanical deformation and improve stability. At present, scientists have developed a variety of conductive polymer flexible electrodes such as conductive polymer functional fibers, hydrogels, films, and so on, and have been widely used in practical production. There are two commonly used preparation methods for conducting polymer flexible electrodes, namely substrate-supported deposition and substrate-free strategies. Substrate-supported deposition is the in-situ deposition of conductive polymers on the flexible substrate, while substrate-free strategies are the addition of corresponding reagents to the conductive polymers, and then electrospinning and other processes. In addition, in order to further improve the performance of electrodes, conductive polymers can also be combined with other materials, such as metal materials [10, 11].

4. Future Development of Organic-based Energy Storage Systems

4.1. Enhancing Efficiency and Performance

In recent years, with the continuous increase in population and the rapid development of industry, human society's demand for energy is also increasing. Based on this situation, it is urgent to continuously improve the energy density and efficiency of materials.

For conductive polymers, the current innovation is focused on several aspects. The first is to adjust the performance of electrodes by changing the morphological structure of these polymers, so as to effectively improve the energy density and efficiency. For example, the conductive efficiency of materials can be improved by changing the surface area and porosity of conductive polymers, or by substituting and attaching functional groups. The second is to compound conductive polymers with new electrode materials such as carbon nanotubes on the basis of pure materials to improve electrical conductivity, thereby enhancing energy density and efficiency. In addition to the electrodes, the third is to focus on the electrolyte. Optimizing the electrolyte formulation, such as the use of gel conductive polymer electrolytes, or the construction of hydrogen bonds, can improve the ionic conductivity and stability, improve the electrolyte performance, and further improve the energy density and efficiency [12]. The fourth is the interface engineering of electrodes and electrolytes. By using some specific nanomaterials to modify the electrode surface, it can improve the interaction between the electrode and the electrolyte, improve the stability, and thus improve the efficiency [13].

All in all, at present, a lot of research has been done and some progress has been made to further improve the energy density and efficiency of conductive polymers. These innovations improve the performance indicators of electronic devices and provide a broader prospect for their application.

4.2. Integration with Renewable Energy Sources

Conductive polymers have unique structures, excellent conductivity, flexibility, and other advantages, which makes the plastic electronics manufactured with them can be combined with other systems, applied in the field of energy, and can benefit human society.

The integration of plastic electronics and photovoltaic systems is a new research hotspot. It combines lightweight, flexible and low-cost plastic electronics with photovoltaic devices to convert clean, abundant, and renewable solar energy into electricity and achieve energy collection and storage. Photovoltaic devices as well as electrode and electrolyte materials are prepared by deposition on the flexible substrate, and the two are integrated to meet energy requirements [14, 15]. This provides a new idea and method for the construction of energy systems.

In addition, plastic electronics made of conductive polymers can also be coupled with wearable technology and portable electronic devices for further development and application. For wearable electronic products commonly used in medical and clinical applications, traditional hard and brittle electronic products cannot be used to solve the problem. In order to make electronic products suitable and compatible with the human skin interface, soft, stretchable electronic products should be used. The flexibility and lightweight of plastic electronics allow them to be widely used in wearable

technology. In addition, plastic electronics can also be combined with other materials to sense various physical and chemical signals in the human body, which is very useful for monitoring human health and provides the possibility for the development of medical treatment [16]. Finally, the manufacturing cost of plastic electronics is low, the process is simple, and their structures and shapes can be flexibly adjusted and changed to achieve personalized customization to meet the special needs of individuals.

5. Challenges and Future Perspectives

The important role and unique advantages of conductive polymers and organic materials in energy storage have led more and more researchers to focus on this area. Conductive polymers have great potential to open up new ideas for energy storage and provide a new direction for mankind to improve and even solve energy problems. However, at the same time, the current development of conductive polymers and organic materials is still limited, and there are still many challenges to be solved.

First, the conductivity of conductive polymers and organic materials is still low compared to traditional inorganic materials such as metals, so the performance and properties of electronic devices and energy storage devices can be limited when using them. Second, the stability of some conductive polymers is not enough. When cyclic charging and discharging of plastic electronics, the performance of conductive polymers will decrease, affecting subsequent use, reducing the durability of plastic electronics and energy storage devices, and limiting their service life. The third is that although conductive polymers themselves are low in cost, some conductive polymers may use expensive catalysts when preparing. The conductivity and energy density of conductive polymers are low, but the cost performance is high, which makes the application of many conductive polymers limited to the laboratory, and it is difficult to achieve large-scale commercial production and application [5].

Addressing the aforementioned challenges, researchers are diligently pursuing various avenues of investigation. Future research endeavors will concentrate on several key areas. Firstly, efforts will be directed towards enhancing the conductivity of conductive polymers by manipulating the polymer structure, altering polymer morphologies, and incorporating doping or compositing with novel materials, thereby addressing the issue of inadequate energy supply. Secondly, the focus will be on augmenting the stability of conductive polymers in practical applications. This objective will be pursued through the exploration of innovative polymer synthesis techniques or the refinement of existing manufacturing processes, with the aim of extending the lifespan of plastic electronics. Lastly, the search for alternative low-cost raw materials for the fabrication of conductive polymers will be prioritized. This approach is intended to facilitate the large-scale production of conductive polymers, making them more accessible for widespread use.

6. Conclusion

This paper provides a comprehensive analysis of the application of conductive polymers and organic materials in energy storage, highlighting their significant advantages over traditional inorganic materials, such as light weight, flexibility, and cost-effectiveness. It delves into the energy storage mechanisms of several prevalent conductive polymers, with a particular emphasis on the utility of their flexibility. Furthermore, the paper discusses current innovations in conductive polymers and their synergistic integration with other technologies, broadening the spectrum of energy storage applications and laying a foundation for the advancement of energy storage technologies. Despite the unique structure and potential of conductive polymers, challenges in energy density, stability, durability, and scalability to practical production persist. This paper analyzes these limitations and proposes future research directions, offering theoretical insights for ongoing investigations.

The pursuit of conductive polymers for energy storage is pivotal to sustainable energy development, addressing the dual challenges of environmental pollution and resource scarcity exacerbated by industrial advancement. Sustainable energy solutions, leveraging renewable and non-

polluting sources such as solar, wind, and biomass energy, are crucial for transitioning away from fossil fuels. The implications of sustainable energy development are profound, encompassing the reduction of greenhouse gas emissions, mitigation of global warming and climate change, prevention of natural disasters, and ecosystem preservation. Moreover, it fosters scientific innovation, job creation, and green economic growth. Importantly, the shift towards inexhaustible energy sources like solar and wind energy can enhance international cooperation and mitigate energy-related conflicts, thereby contributing to global peace and security. In summary, sustainable energy development is instrumental in alleviating energy challenges, minimizing environmental impact, and driving scientific, economic, and diplomatic progress.

References

- [1] Agobi A U, Louis H, Magu T O, et al. A review on conducting polymers-based composites for energy storage application. *J. Chem. Rev*, 2019, 1(1): 19-34.
- [2] Biswas S, Chowdhury A. Organic Supercapacitors as the Next Generation Energy Storage Device: Emergence, Opportunity, and Challenges. *ChemPhysChem*, 2023, 24(3): e202200567.
- [3] Divakaran N, Das J P, PV A K, et al. Comprehensive review on various additive manufacturing techniques and its implementation in electronic devices. *Journal of Manufacturing Systems*, 2022, 62: 477-502.
- [4] Fu W, Turcheniuk K, Naumov O, et al. Materials and technologies for multifunctional, flexible or integrated supercapacitors and batteries. *Materials Today*, 2021, 48: 176-197.
- [5] Han W B, Ko G J, Jang T M, et al. Materials, devices, and applications for wearable and implantable electronics. *ACS Applied Electronic Materials*, 2021, 3(2): 485-503.
- [6] Hu Y, Wang J, Yan C, et al. The multifaceted potential applications of organic photovoltaics. *Nature Reviews Materials*, 2022, 7(11): 836-838.
- [7] Namsheer K, Rout C S. Conducting polymers: A comprehensive review on recent advances in synthesis, properties and applications. *RSC advances*, 2021, 11(10): 5659-5697.
- [8] Li H, Wang H, Chan D, et al. Nature-inspired materials and designs for flexible lithium-ion batteries. *Carbon Energy*, 2022, 4(5): 878-900.
- [9] Li L, Liu W, Dong H, et al. Surface and interface engineering of nanoarrays toward advanced electrodes and electrochemical energy storage devices. *Advanced Materials*, 2021, 33(13): 2004959.
- [10] Li Y, Huang X, Sheriff Jr H K M, et al. Semitransparent organic photovoltaics for building-integrated photovoltaic applications. *Nature Reviews Materials*, 2023, 8(3): 186-201.
- [11] Pandey P. Role of nanotechnology in electronics: A review of recent developments and patents. *Recent Patents on Nanotechnology*, 2022, 16(1): 45-66.
- [12] Solak E K, Irmak E. Advances in organic photovoltaic cells: a comprehensive review of materials, technologies, and performance. *RSC advances*, 2023, 13(18): 12244-12269.
- [13] Sumdani M G, Islam M R, Yahaya A N A, et al. Recent advancements in synthesis, properties, and applications of conductive polymers for electrochemical energy storage devices: A review. *Polymer Engineering & Science*, 2022, 62(2): 269-303.
- [14] Wehner L A, Mittal N, Liu T, et al. Multifunctional batteries: Flexible, transient, and transparent. *ACS Central Science*, 2021, 7(2): 231-244.
- [15] Xie Y, Zhang K, Yamauchi Y, et al. Nitroxide radical polymers for emerging plastic energy storage and organic electronics: fundamentals, materials, and applications. *Materials Horizons*, 2021, 8(3): 803-829.
- [16] Zhao Z, Xia K, Hou Y, et al. Designing flexible, smart and self-sustainable supercapacitors for portable/wearable electronics: from conductive polymers. *Chemical Society Reviews*, 2021, 50(22): 12702-12743.