

# Study on the Impact of Global Warming on Parrots and Countermeasures

Jinghan Huang

The High School Affiliated to Renmin University of China, Beijing, 100080, China

jhuan199@jh.edu

**Abstract.** Parrots, with their vibrant plumage and remarkable intelligence, play a crucial role in ecosystems worldwide. They contribute to seed dispersal, plant protection, and overall ecosystem functioning, influencing plant life cycles and contributing to ecosystem stability. However, the ecological importance of parrots is threatened by habitat loss and the impacts of global warming. As climate change intensifies, parrots face challenges such as shifts in geographical ranges, disruptions in synchronized relationships with plants, habitat loss, and increased vulnerability to extreme weather events. Effective conservation strategies are crucial for safeguarding parrot populations, including preserving key habitats, establishing protected areas, and implementing sustainable management practices. Tailored approaches, education, addressing land tenure issues, and promoting ecotourism are among the key solutions to mitigate the effects of global warming and protect these ecologically important birds.

**Keywords:** Parrots, ecosystem functioning, habitat preservation, global warming, biodiversity.

## 1. Introduction


The ecological importance of parrots stems from their ability to influence seed dispersal, plant protection, and overall ecosystem functioning. Their interactions with plants have a significant impact on their life cycles and support the stability of the environment. It's important to recognize and comprehend the importance of parrots in ecosystems to properly conserve and protect these delightful birds and their habitats.

Addressing the challenges faced by parrots requires effective solutions that mitigate threats and promote their conservation. Various strategies can be employed, including habitat preservation, establishment of protected areas, and sustainable management practices. While multiple solutions exist, it is important to identify the most effective approach. It's important to recognize the limitations and potential challenges that may come with putting these solutions into action. By critically evaluating the available options and considering their limitations, work can be done to protect parrots and their ecosystems.

This essay delves into the ecological importance of parrots and the impact of global warming on their populations. It explores the vital roles parrots play in seed dispersal, plant protection, and ecosystem structure and functioning. Furthermore, it examines the effects of climate change on parrot habitats, geographical ranges, synchronized relationships, and overall biodiversity. Finally, conservation strategies suited to the specific needs of parrot populations were explored. The purpose of this essay is to add to the existing information on parrot conservation and provide guidance for future endeavors in safeguarding these impressive birds and their environments.

## 2. Ecological Importance of Parrots

Parrots with their vibrant plumage and remarkable intelligence, play a crucial role in ecosystems worldwide (Fig. 1) [1]. Parrots can influence seed dispersal, plant protection, and overall ecosystem functioning. The interactions between parrots and plants have a cascading impact on how they grow and the overall health of the ecosystem. Recognizing the ecological importance of parrots is crucial for conservation efforts to protect these charismatic birds and their ecosystems.



**Figure 1.** Different species of parrots.

<https://www.tandfonline.com/doi/full/10.1080/01584197.2017.1387031>

## 2.1. Seed Dispersal and Germination

Parrots are renowned for their strong beaks, which enable them to crack open hard nuts and fruits. As they feed on a variety of plant species (Fig. 1), parrots inadvertently become essential agents of seed dispersal. The seeds they consume are often transported to new areas, where they are deposited through droppings. This process aids in the natural regeneration and diversification of plant communities, ultimately fostering the growth of forests and contributing to the stability of ecosystems. Parrots serve as important seed dispersers for many plant species. By defleshing discarded fruits and seeds, parrots aid seed germination and hinder the negative impact of decomposers like fungi. Scratching seed coats or partially consuming seeds also assists in moisture absorption and seedling emergence [2].

## 2.2. Plant Protection and Healing

Parrots are predominantly arboreal, meaning they spend a significant amount of time in trees and forests. Their presence and movements within forested areas contribute to the health and dynamics of these ecosystems. Parrots' diet includes invertebrates, and their consumption of mycoparasitic invertebrates can contribute to plant protection and healing. When plant pests are prevalent, parrots can conserve energy by consuming concentrated pests in large quantities rather than smaller food, which can offset the expense of obtaining the smaller prey (Fig. 2) [1]. Moreover, parrots have been observed consuming parasitic fungi, contributing to the healing process of plants [2].


How parrots use different parts of plants can significantly impact the life cycle of those plants, both directly and indirectly. Their impact on flowering and pollination can influence fruit and seed production. First, the crop of ripe seeds is impacted by parrots eating unripe fruits. These seeds may then be eaten, spread, or squandered [3]. In addition, food subsidies provided by parrot wastage, including seeds, fruit pulp, flowers, leaves, and other plant structures, can help plants access more nutrients and benefit a wide range of organisms across trophic levels [4]. Moreover, parrots' flocking behavior and subsequent deposition of vegetal matter and feces can influence soil features and directly impact plant performance [5].

Furthermore, litter accumulation beneath food plants can enhance seed survival, germination, and nutrient turnover, influencing the survival and growth of parent-played dispersal and germination.

Parrots are recognized as effective seed dispersers, aiding in the propagation and regeneration of plant species. They consume a wide variety of fruits and subsequently excrete the seeds, facilitating their dispersal to new locations. This behavior enhances plant populations' genetic diversity and

distribution. Additionally, parrots' feeding habits, such as defleshing and partially consuming seeds, can promote germination by facilitating water intake and seedling emergence [6].

Because of their special digestive system with relatively short colons, parrots can disperse plant seeds through their droppings during flight to promote the spread and growth of plant seeds. And by actively engaging in such activities, parrots indirectly promote forests' overall stability and resilience.



**Figure 2.** The role of parrots in the ecosystem.

<https://www.tandfonline.com/doi/full/10.1080/01584197.2017.1387031>

### 2.3. Ecosystem Structure and Functioning

Parrots' multifaceted ecological functions are expected to influence ecosystem structure and functioning. As consumers and generalist herbivores, parrots play an important role in the food chain and food web and are also the maintainers of the balance of the ecosystem. Parrots, such as macaws, are seed dispersers. They can significantly shape landscapes [6]. The complex relationship between plants and parrots has important effects on both species and plays a role in shaping the structure and organization of ecosystems [1].

Also, as highly visible and sensitive creatures, parrots often serve as indicator species for environmental health. Changes in their population sizes, behaviors, or health can signal potential ecological imbalances or the presence of environmental pollutants. Monitoring parrot populations and studying their behaviors can provide valuable insights into the overall well-being of an ecosystem [1]. Consequently, the conservation of parrot species becomes crucial for their sake and the larger picture of environmental preservation.


## 3. Impact of Global Warming on Parrots

As global warming intensifies, parrots are affected in various ways. Global warming poses significant challenges to the conservation of parrots, who are highly dependent on specific habitats and ecological relationships. The impacts of climate change on parrots include shifts in geographical ranges, disruptions in synchronized relationships with plants, habitat loss, and increased vulnerability to extreme weather events.

### 3.1. Effects of Climate Change on Parrot Habitats

Global warming contributes to the degradation and loss of suitable habitats for parrots. Changes in temperature and rainfall can negatively affect the growth of vegetation, which is necessary for the survival of parrots. As a result, parrots face diminishing nesting sites and reduced access to food sources, directly impacting their survival and reproduction. Over time, parrots like the western ground parrot *Pezoporus flaviventris* suffer from habitat fragmentation and loss (Fig. 3).

Global warming is altering habitats worldwide, affecting ecosystems and species distributions. Parrots, with their specialized habitat requirements, are particularly vulnerable to these changes. The distribution and availability of suitable habitats, including rainforests and savannas, which support diverse parrot populations, may be significantly impacted by changing climatic conditions [7].



**Figure 3.** Data of the western ground parrot *Pezoporus flaviventris*'s presence in the South-Western Floristic Region of Australia.

[https://www.academia.edu/47688712/Using\\_climate\\_change\\_models\\_to\\_inform\\_the\\_recovery\\_of\\_the\\_western\\_ground\\_parrot\\_Pezoporus\\_flaviventris](https://www.academia.edu/47688712/Using_climate_change_models_to_inform_the_recovery_of_the_western_ground_parrot_Pezoporus_flaviventris)

### 3.2. Shifts in Geographical Ranges

Parrots, like many other bird species, undertake seasonal migrations to seek favorable climates and food resources. However, global warming disrupts these patterns by altering the timing and availability of critical resources along migration routes. Parrots may encounter difficulties finding suitable stopover sites or face mismatches between their arrival and the peak availability of food sources. Such disruptions pose significant challenges to the survival and successful completion of their migratory journeys [8].

One potential consequence of global warming is the alteration of geographical ranges for parrot species. As temperature and precipitation patterns change, suitable habitats may shift, leading to range contractions or expansions for different parrot populations. Parrots adapted to specific climatic conditions or dependent on certain plant species for food and nesting sites may face challenges in adapting to new environments [9].

### 3.3. Disruption of Synchronized Relationships

Parrots have complex ecological relationships with plants, particularly those involving nectarivorous and seed dispersal (Fig. 2). The synchrony between parrots and the flowering or fruiting cycles of plants is crucial for their mutual survival. Global warming-induced changes in the timing of seasons, flowering periods, and fruit availability can disrupt these synchronized relationships, potentially leading to mismatches in food availability and reproductive success for both parrots and plants. Several parrot species have made adaptive changes to their bills due to climate change. This could assist them in managing thermal stress. However, other factors such as changes in their habitat or food availability may also play a role in the observed patterns [10]. This change may have implications for the way parrots live and how they interact with other creatures in the ecosystem.

### **3.4. Loss of Biodiversity**

The loss of suitable habitats due to global warming can result in habitat fragmentation, isolating parrot populations and reducing gene flow between them. This process can increase the risk of genetic impoverishment, inbreeding, and reduced adaptability to changing environments. Moreover, the loss of biodiversity caused by habitat degradation and species extinctions can disrupt the intricate ecological networks in which parrots play critical roles.

### **3.5. Extreme Weather Events and Disruptions in Breeding**

Global warming-induced changes in climatic conditions can lead to alterations in parrots' behavior. Some parrot species may experience shifts in their foraging patterns, nesting behavior, or social interactions due to changing resource availability and environmental conditions. Such behavioral changes, while adaptable to a certain extent, may have long-term consequences for their overall fitness and ecological role within their ecosystems.

The occurrence of extreme weather events like heatwaves, droughts, and intense storms is linked to global warming. These events can have detrimental effects on parrot breeding success, nest survival, and overall population dynamics. Higher temperatures during nesting seasons can negatively impact egg viability and chick survival, further compromising the already vulnerable populations.

## **4. Conservation of Parrots and Responses to Global Warming**

Given the potential threats posed by global warming, effective conservation strategies are crucial for safeguarding parrot populations. Conservation efforts should focus on preserving and restoring key habitats, establishing protected areas, and implementing sustainable management practices. It is important to conduct more research to determine how various parrot species are affected by climate change, how they can adapt, and if programs such as assisted migration or captive breeding can help prevent population decline [11].

Urgent action is needed to mitigate the effects of global warming and protect these charismatic and ecologically important birds in the future. Conservation of parrots requires context-specific strategies that address local challenges and opportunities. Education, land tenure reforms, and the promotion of ecotourism are among the key approaches discussed in the referenced publication. By implementing these strategies and developing national Action Plans, we can contribute to the conservation and protection of these magnificent birds in the face of global warming and other threats.

### **4.1. Locally Tailored Conservation Solutions**

Conservation solutions cannot be universally applied, as different settings require tailored approaches. What may work in one area may not be effective in another [12]. Therefore, when creating conservation plans, it is vital to take the unique circumstances and requirements of each parrot population into account.

The Neotropical region has been a focus of extensive research and conservation efforts for parrots. Governments in different regions have used different conservation methods to protect the parrots. A few notable governmental conservation initiatives include the promotion of macaw-focused ecotourism in Peru, Bolivia, and Brazil [13], the preservation of Lesser Antillean parrot species in the Caribbean through education and national pride [14], and the use of law enforcement in Margarita Island, Venezuela [15]. Peruvian people protect the population of parrots by building artificial nests [16].

### **4.2. Raising Public Awareness**

Because many people in the Neotropics are ignorant of the catastrophic situation in which these birds find themselves, it is critical to let the public know about the conservation of parrot species. Parrots can serve as effective ambassadors for environmental campaigns due to their popularity and the empathy they evoke from people [12]. Examples from various studies highlight the effectiveness

of environmental education initiatives focused on parrot conservation [13]. However, it is essential to design and evaluate these campaigns carefully to avoid unintended consequences, such as promoting the keeping of parrots as pets. Additionally, campaigns should aim to combat the private ownership of wild parrots, thereby reducing the demand for their trade [12].

#### **4.3. Addressing Land Tenure Issues**

Because of the Neotropics' growing human population and habitat destruction, locations such as Central America, the Caribbean islands, the tropical Andes, and eastern Brazil's Atlantic Forest are home to a plethora of threatened species. These negative effects have been amplified by unstable land tenure regimes and financial incentives for land conversion. Stabilizing land tenure and implementing transparent fiscal policies can help slow down the expansion of agricultural frontiers. Incentives for the conservation of wildlands should be established, and critical linkages in habitat connectivity need to be identified [12].

#### **4.4. Potential of Ecotourism**

Ecotourism can provide economic value to parrots, particularly the large and colorful macaws. However, most tourism operators focus on localized attractions, and local communities are often unprepared to fully engage in ecotourism initiatives. To enhance parrot conservation, it is necessary to develop tourism projects that benefit local communities and promote the protection of these birds [12]. As seen in the Caribbean islands, where emblematic parrot species have received more protection and public backing, pride and nationalism can be potent motivators for parrot conservation [13].

#### **4.5. Potential of Ecotourism**

Ecotourism can provide economic value to parrots, particularly the large and colorful macaws. However, most tourism operators focus on localized attractions, and local communities are often unprepared to fully engage in ecotourism initiatives. To enhance parrot conservation, it is necessary to develop tourism projects that benefit local communities and promote the protection of these birds [12]. As seen in the Caribbean islands, where emblematic parrot species have received more protection and public backing, pride and nationalism can be potent motivators for parrot conservation [13].

#### **4.6. The Importance of National Action Plans**

While the global Action Plan outlined in the publication provides valuable guidance, each country or region needs to develop its own national Action Plan. These strategies should build on global goals and target the threatened species or subspecies that exist inside their borders. Venezuela and Brazil are examples of countries that have undertaken comprehensive Action Plans, involving government representatives, NGOs, universities, and aviculturists [12]. National Action Plans allow for the appropriate scale of conservation interventions and provide platforms for the dissemination of information.

### **5. Conclusion**

Parrots play a crucial ecological role in ecosystems worldwide. However, their ecological importance is threatened by habitat loss and the impacts of global warming. The conservation of parrots requires urgent action to preserve key habitats, establish protected areas, and implement sustainable management practices. Tailored conservation strategies that address local challenges and opportunities are necessary. Education, addressing land tenure issues, and promoting ecotourism can contribute to parrot conservation efforts. To effectively conserve the environment, it is crucial to develop National Action Plans tailored to each country or region. To effectively conserve the environment, it is crucial to develop National Action Plans tailored to each country or region. By

implementing these strategies and taking proactive measures, we can protect these birds and ensure the preservation of their ecological functions in the face of global warming and other threats.

## References

- [1] Blanco G., Hiraldo F., Tella J.L., Ecological functions of parrots: an integrative perspective from plant life cycle to ecosystem functioning. *Emu-Austral Ornithology*, 2018, 118(1): 36-49.
- [2] Díaz B., Tilman D., Fargione J., Chapin F., Dirzo R., Kitzberger T., La educación en valores: Avatares del currículum formal, oculto y los temas transversales. *Revista Electrónica de Investigación Educativa*, 2006, 8(1).
- [3] Witkowski E.T.F., Lamont B.B., Leaf-specific mass confounds leaf density and thickness. *Oecologia*, 1991, 88: 486-493.
- [4] Charles K.E., Linklater W.L., Dietary breadth as a predictor of potential native avian-human conflict in urban landscapes. *Wildlife Research*, 2013, 40(6), 482-489.
- [5] Attiwill P.M., Adams M.A., Nutrient cycling in forests. *New Phytologist*, 1993, 124(4): 561-582.
- [6] Baños-Villalba A., Blanco G., Díaz-Luque J.A., et al., Seed dispersal by macaws shapes the landscape of an Amazonian ecosystem. *Scientific Reports*, 2017, 7(1): 7373.
- [7] Schweizer M., Seehausen O., & Hertwig S.T., Macroevolutionary patterns in the diversification of parrots: effects of climate change, geological events, and key innovations. *Journal of Biogeography*, 2011, 38(11): 2176-2194.
- [8] Molloy S.W., Burbidge A.H., Comer S., Davis R.A., Using climate change models to inform the recovery of the western ground parrot *Pezoporus flaviventris*. *Oryx*, 2020, 54(1): 52-61.
- [9] Groombridge J.J., Jones C.G., Bayes M.K., et al., A molecular phylogeny of African kestrels concerning divergence across the Indian Ocean. *Molecular phylogenetics and evolution*, 2002, 25(2): 267-277.
- [10] Campbell-Tennant D.J., Gardner J.L., Kearney M.R., Symonds M.R., Climate-related spatial and temporal variation in bill morphology over the past century in Australian parrots. *Journal of Biogeography*, 2015, 42(6): 1163-1175.
- [11] Patane J.S., Crochet P.A., Huguet M., Phylogenetic relationships and habitat shifts in the Cacatuidae (Psittaciformes: Aves). *Australian Journal of Zoology*, 2009, 57(5): 317-326.
- [12] Snyder N., McGowan P., Gilardi J., Grajal A., Parrots. Status Survey and Conservation Action Plan 2000–2004. IUCN, Gland, Switzerland, and Cambridge, 2000, 180.
- [13] Gilardi J.D., Duffey S.S., Munn C.A., Tell L.A., Biochemical functions of geophagy in parrots: detoxification of dietary toxins and cytoprotective effects. *Journal of Chemical Ecology*, 1999, 25: 897-922.
- [14] Butler P., Promoting Protection Through Pride: A manual to facilitate successful conservation-education programs developed at RARE Center for Tropical Conservation. *International Zoo Yearbook*, 2000, 37(1): 273-283.
- [15] Briceño-Linares J.M., Rodríguez J.P., Rodríguez-Clark K.M., et al., Adapting to changing poaching intensity of yellow-shouldered parrot (*Amazona barbadensis*) nestlings in Margarita Island, Venezuela. *Biological Conservation*, 2011, 144(4): 1188-1193.
- [16] Nycander E., Blanco D.H., Holle K.M., et al., Manu and Tambopata: nesting success and techniques for increasing reproduction in wild macaws in southeastern Peru. *The large macaws: their care, breeding, and conservation*. Raintree, Fort Bragg, California, USA, 1995, 423-443.