

The Thai Plants Style Ceramic Creation of Organic Form based on 3D Printing Technology

Wei Xu

Chengdu Academy of Fine Arts, Sichuan Conservatory of Music, Chengdu Sichuan, 610000, China

Abstract: This article investigates the organic forms of Thai plants based on 3D ceramic printing technology. Using Thai plants as samples, the article explores the artistic characteristics of organic forms using the tools of 3D ceramic printing technology combined with manual creation and studies the application characteristics of the technology. The article summarises the artistic characteristics based on organic forms with vessel modelling characteristics and parametric features through practice combined with theory. The article summarises the advantages and technical limitations regarding the industrial reproduction of 3D ceramic printing technology and proposes corresponding solutions.

Keywords: The Organic Form of Thai Plants; Ceramic Creation; 3D Printing Technology.

1. Introduction

1. Plants of Thailand

Thailand is located in the south-central part of the Central South Peninsula, bordering the Gulf of Thailand in the southeast, the Andaman Sea in the southwest, Cambodia in the southeast, Myanmar in the northwest, Laos in the northeast, Malaysia in the south, and China's Yunnan Province in the north, the northern border is only about 150km away. Thailand is located in the tropics, and the climate can be roughly divided into two types, the Chumphon Province north of the tropical monsoon climate, the whole year can be divided into the dry season, the rainy season, and obviously, the cool season. The peninsular area south of Chumphon Province has a tropical rainforest climate, with no distinction between rainy and dry seasons and relatively uniform rainfall throughout the year [1]. The favourable natural conditions have given birth to the vast forests and rich plant species in Thailand. When the author was studying in Thailand, field trips were made to various plants and gardens in Thailand, and the feeling was profound, so the author used Thai plants as inspiration for his creations.

Thailand has a species-rich and complex biodiversity that differs in various parts of the country. Based on the forest inventory projects and the specimens from the Forest Herbarium there were all together 5048 occurrence records of 733 species from 90 families and 323 genera [2]. Considering the scope of this study, the author visited the Queen's Garden Plants of Chiang Mai, which is rich in species and types, concentrating more than 700 species of plants from Thailand and around the world. Most of them originated from within tropical families and genera, which is in line with the local natural ecological environment. Broad-leaved evergreen species are dominant, with fewer coniferous species, in line with the local natural vegetation type. Among them, there are more plants of Palmaceae, Asparagaceae, Mulberry, Agave, and Euphorbiaceae. Cultivated and horticultural species such as hibiscus, foliage flowers, lobelia and fuchsia are included [3].

The traditional definition of phytolandscaping is: "The use of trees, shrubs, vines, and herbs to create a landscape that mimics the structure and characteristics of the native natural plant community and to create a rational artificial plant

community. In natural plant communities, trees, shrubs and herbs are not scattered in a jumble but are arranged and combined according to their own specific patterns, showing certain characteristics of community morphology. In Thailand, you can find gardening designs with palms, coloured flowers and lawns everywhere. The flowers and foliage of plants are often used as decorative motifs in works of art. As shown in Fig. 1, the chrysanthemum petal pattern in Thai ceramics of the 15th and 16th centuries is often centred on the heart of the flower, surrounded by curvilinear petals, with the chrysanthemum as a whole in the form of a spiral. The whole chrysanthemum flower is shown in a spiral shape, which is a representation of sensual beauty full of vitality and dynamism. In contrast to the Chinese chrysanthemum pattern of the same period, which is concerned with straight-line geometric rules, rationality and regularity, it presents different characteristics, forming a unique feature of Thailand [4].




Fig 1. Underglaze black bowl with chrysanthemum

2. Ceramics Exchange between China and Thailand

Thailand introduced Chinese ceramics in large quantities during the Tang and Song dynasties in China. Thailand's local ceramic artisans, with the help of Chinese artisans, set up kilns in Thailand's Sukhothai and Songkhlaos regions, in Thailand to promote the traditional Chinese ceramic culture, not only to promote the development of Thailand's ceramics

but also to deepen the cultural exchanges between the two countries. Thai ceramics in the 14th century, the rapid development of ceramics, ceramic styles and decorative varieties are very rich. In the absence of Chinese ceramics in the 15th century, to meet the demand for ceramics in Southeast Asia. Thai ceramics during this period in Southeast Asia in a leading position.

3. Ware modelling in ceramics

Ceramics have both practical and decorative attributes, and vessels are the functional use of ceramics. Looking back at the development of traditional ceramic vessels, their shapes range from simple to complex, from meaningless to symbolic, reflecting the material life and spiritual world of the ancient people. Traditional Chinese figurines have also had a great influence on Thai ceramic vessels. In ancient China, ceramic vessels were created by simulating plants, people, animals or other natural scenes [5]. As shown in Fig. 2, in ceramics production, the traditional handmade methods such as "billeting", "panning clay strips", and "moulding clay slabs" are also in line with the laws of object modelling. That is, large-scale conforms to the whole, regular, hollow, upward modelling trend. Given the way ceramic 3D printing is characterised, the author's creation draws fully on the characteristics of this type of ware modelling.



Fig 2. Ceramics made with panning clay strips and 3D printing

4. The use of plant bionics in the design of daily-use ceramics

There is a wide variety of ancient pottery, which appeared with the settlement of the Neolithic period. Primitive porcelain appeared during the Shang and Zhou Dynasties, with a long history of cultural inheritance, followed by the Qin, Han, Sui, and Tang dynasties, and then by the Song Dynasty, when the porcelain atmosphere became increasingly sophisticated. There is also no lack of works that approximate some of the natural forms of the bionic works, take Ru Kiln, the first of the five famous kilns in the north of the Song Dynasty, as an example. The Ru kilns, like the Ding kilns and the Jun kilns, were made for the Song court, but very few of them have survived, so they are especially rare. The Ru kilns were heavily influenced by the Yue kilns and the Yaozhou kilns, and some of the decoration was inherited from their ticked and engraved lotus petal motifs. The glazes of the Ru Kiln come in a variety of colours, including sky blue, moonlight white, azure, pea green, and so on. The Ru Kiln Lotus Warming Bowl is a wine-warming vessel that takes its name from the lotus flower's symbolism of purity and purity from sludge and mud. As shown in Fig. 3, the bowl is carved in the form of a lotus flower, which appears to be in full bloom and wrapped around and is used as a wine holder for warming wine, with smooth and gentle lines and a fresh and elegant glaze [6].




Fig 3. The Lotus Warming Bowl

5. Status of ceramic 3D printing

3D printing technology, also known as "additive manufacturing technology", different technologies corresponding to the production process are more or less the same. Ceramic 3D printing has been deeply applied in the medical and architectural industries. At this stage, the type of technology has been industrialized light curing moulding technology (SLA, Stereolithography Apparatus), selective laser sintering powder bed layout SLS (Powder-based SLS), three-dimensional printing moulding (three-dimensional printing, 3DP), Laminated Object Manufacturing (LOM) (also known as layered solid manufacturing technology), etc. [7]. Mainstream 3D printing has advantages such as high precision, large size, and ease of operation. Hospitals and, the transportation industry of high precision materials need to use some advanced instruments, for commercial use, which require safety and other necessary high standards. As far as ceramic art is concerned, advanced instruments are not needed, but rather constraints. According to the author's creative ideas and ceramic process characteristics, choose the extrusion type 3D printing equipment for creation, also known as direct ink writing DIW. The advantage is that the process and equipment are simple and easy to realize; do not need laser and other high-energy output consumption, so less energy consumption, low cost; the disadvantage is that the moulding accuracy is low, the paste is not easy to save and other issues remain to be resolved. In the field of ceramic design, ceramic 3D printing has been a lot of commercialization cases, mostly some mass production of small and medium-sized vessels, such as vases daily decorative necessities. Ceramic 3D printing technology in the traditional industry chain, reducing the opening of moulds and other processes, can be more strict control of manual errors, in the subsequent firing process is also more stable, in terms of efficiency and yield rate has been greatly improved, with greater capacity. The disadvantages are limitations in style, product accuracy, and size, and the need to transfer reduced labor to routine machine operation and maintenance.

2. Organization of the Text

2.1. Research Objective

1. What are organic forms?

An organic form is a three-dimensional form in space that is animated. It can also be seen as a further development of bionic design. Bionic design is to imitate the structure and growth of natural objects, and so is the natural form of organic form. Plants as organic life forms, their growth form, texture and colour, movement changes, habit function, etc. are organic, vital forms.

2. Ceramic arts and organic forms

Ceramics is a collective term for pottery and porcelain. Ceramics, due to their materials and the process of firing and

moulding, many excellent examples of organic forms exist. The sensory perception of organic form, visually speaking, focuses on form, space, reality, material, colour, texture, etc., which is no different from traditional ceramic production.

3. Extrusion 3D ceramic printing

In this study, an extrusion-based 3D ceramic printing device was used for the research. For ceramic art creators, the clay direct writing forming technology is more controllable and can be manually intervened at any time during the printing stage, and the choice and preparation of the printing material also has more free space. It can be relatively free to realize the combination of 3D printing and manual processing. Combined with 3D printing and other digital production technology, this organic extends to a combination of mechanical digitization and life organic, called a digital

organic form. This study, in the context of the author's specific creative process, will reveal the concepts, methods of creation and artistic characteristics of this organic form, as well as the advantages and limitations of the application of the technique of direct clay writing into shape in the creative process. Based on the results, the value and future of the research will be affirmed.

2.2. Research Methodology

1. Research methodology

As shown in Fig. 4, the research framework is divided into four main phases: data research, design, experimental and outputs. Population and sampling, data collecting and analysis were used in the research process.




Fig 4. Methodology frameworks

2. Source of data

The author uses Thai plants as the origin of his work. Fieldwork is used, literature is collated, and the method of iconography is used for research. Meanwhile, in the actual creation, 3D printing and handmade data are recorded.

3. Population and sampling

After getting a large amount of data, the author applied the method of population and sampling. Combined with the geographical and climatic characteristics of Thailand, to study its plant morphology. Mainly, the common cactus family in Thailand, flowers and leaves, etc. are taken as the overall research objects. Through the specific sampling morphological examination, the general characteristics of its plant morphology were summarised. In order to get inspiration and capture important features.

4. Data collecting and analysis

The author has used data collecting and analysis. Suitable data were collected and selected. The available data on plant forms are broadly classified into three types: the first is plant forms with more holistic shapes, which are more suitable for three-dimensional spatial modelling, such as cacti and succulents. The second type is the contour lines of flowers and leaves with vitalised and rich forms. The third is the unique characteristics of the plant, such as colour and textural features.

5. Design

After data collection and analysis, the author combined previous methods of creating organic form sculptures, such as deformation, repetition and other techniques, to make artistic

treatment and conceive sketches. Finally, it was modelled in the computer to get the visual digital sculpture, as shown in Fig. 5.




Fig 5. Design stage of artwork

6. Experimental phase

The creation enters into an experimental phase where, unlike traditional handmade ceramics, 3D printing dominates the actual creation as the main production method. In the 3D printing stage, equipment commissioning and clay preparation are needed first. Then the digital model is sliced on the software, in order to obtain a file recognizable by the printer. As shown in Fig. 6, at this stage care should be taken to match the size of the printer, the support of the printed shape and other important issues. After 3D printing, the ceramic is properly dried to increase its hardness for manual processing. Ceramic treatment at this point is no different from the traditional handmade method. The main processing of some splicing, surface texture, and appropriate deformation, is shown in Fig. 7. In general, 3D printing and hand processing are alternated. After the final drying and polishing, plain firing, and glaze firing, the final ceramic work is obtained.




Fig 6. Experimental stage of artworks



Fig 7. Artistic process

2.3. Results: 3D Printed Ceramics Creative Works

1. As shown in Fig. 8, the ceramic work *Iris* is based on the theme of Thai flowers, 3D ceramic printing combined with hand processing, using the techniques of "copying" and "collage". The work takes the form of traditional Chinese "vessel" modelling, with cross-cultural regional significance.

2. As shown, the ceramic work *Cactus*, inspired by the characteristics of the Thai cactus, embodies a new interest in subtropical plant modelling. The work uses abstract lines to express the vitality of the plant.




Fig 8. Final ceramic artwork Iris and Cactus

2.4. Discussion

Combined with previous literature and experimental creations, the organic form of Thai botanical ceramics based on 3D technology has the artistic characteristics of cross-cultural region, parametric, digital and mechanical

reproduction. Its artistic characteristics and aesthetic value inherit the excellent artworks of the previous generation and create a new look. Compared with traditional handmade ceramics production, 3D printing ceramic technology has certain advantages and limitations. Based on this, the author summarises the advantages and limitations of the process and puts forward different theories and insights.

1. Artistic heritage: The creation of Thai plant organic form ceramics based on 3D printing technology has the artistic characteristics of cross-cultural geography and mechanised reproduction. This study combines Thai plant forms and traditional Chinese "artefact" ceramic modelling features. It reflects a new interest in subtropical plant modelling. From the point of view of art history, this work is a contemporary continuation of Dada art and surrealism. "Collage" and "reproduction" are the main creative techniques of Dada and other art genres. 3D technology has the characteristics and advantages of mechanized reproduction. The works come from the real world of nature and plants, after digital technology processing, to transcend reality.

2. A new look: The creation of ceramics of organic forms of Thai plants based on 3D printing technology with a new look of parameterisation and digitisation. In the context of sculptural modelling, it is characterized by vitality, abstraction, and parametric spatial modelling. From the visual intuition of the work, we can see the origin of the plant bionic modelling. Its abstraction is specifically shown in the organic form of the shape reflects the overall geometric outline. The author deliberately retained the characteristics of 3D digital modelling, so the work has parametric characteristics. This is the most prominent artistic feature of the creation, which has important aesthetic significance. In the context of ceramic art, it is important to compare traditional handmade ceramic works. The creation retains the scale of the "ware" and continues the tradition of handmade ceramic vessels with upward and hollow features. This work expands the landscape of ceramic art by showing a more digitized texture and sense of order. The work therefore has a certain disciplinary significance. This study also expands a new look at ceramic art.

3. Industrialised production values: Compared with traditional ceramic handmade art, the process is characterized by strong reproducibility, high efficiency and stability. It has a high reference value for ceramic product design, industrialized production and so on.

4. Acceptable print accuracy error: About printing accuracy. If the precision of the 3D printing preparation is high enough, the creator can almost print out the digital model perfectly. The author used a device with an accuracy of 0.4mm, and its 3D printing error was kept in the range of 1~5%. After manual repair and other processing, the error is within a completely acceptable range.

5. 3D printing size limitations: The 3D print size is an important condition for this process due to the limitations of the machine. The author's machine print size is 15x15x24cm. After experimentation, we know that the optimal creation size range of this process is within 0~3 times the print size. Theoretically, the human-computer combination creation process in this article is not limited by the size of the 3D printer. However, in the context of actual creation, a larger-sized 3D printer should be used for larger-sized works in order to create them most efficiently while minimizing errors. Similarly, this research has very strong theoretical and

practical support for the creation of ceramics of larger sizes.

6. Solving skeleton modelling and load-bearing problems: Based on the moulding characteristics of an extrusion 3D clay printer, its skeleton shape and load-bearing are the place that needs to be focused on when designing 3D modelling. The extrusion path of the 3D printer's nozzle, which needs vertical support, cannot be large overhangs. The situation in the digital model slicing can be directly processed into a print file with internal filling support. However, ceramic firing needs to be hollow, too much internal filling has the risk of blowing up the kiln. The internal supports produced automatically by the slicing software are not fully controllable and are only suitable for simple ceramic forms. When it comes to complex and large-sized ceramic models, I prefer to use 3D print files with no internal support. Therefore, the author summarizes three solutions in the process of creative practice. First, when 3D modelling, the skeleton structure is reasonably handled, and the skeleton shape at the details is reasonably handled as an internal concave shape. The author does not recommend manually adding the support structure directly in 3D modelling, because the internal support structure will interfere with the print path and affect the moulding effect. Secondly, when slicing the model, deal with the skeletonized part separately, for example, the horizontal overhanging shape, and adjust the orientation to vertical printing. After printing, these skeletonized parts are then spliced and processed manually. Third, during printing, observe the printing progress in real-time, and pause the printer to add support manually when printing to the overhanging structure. The combined use of the above 3 methods is sufficient to solve most of the skeletonization problems.

3. Literature References

1. Suggestion

Thailand's plant species and forms have a large volume and high research value. The study of the plants of Thailand should go deeper into the Thai land with more field surveys and more in-depth literature studies. The creation of a Thai plant ceramic organic form based on 3D printing technology, using cacti, flowers and so on from Thai plants as the main body, combined with digital technology, presents a new organic form and explores a new human-machine combination process. However, due to the limitations of the equipment, the process can only address the author's current creative needs to a certain extent. This study solves some specific process problems by means of manual processing. The study enriches the creative outlook and direction of ceramic art and is a path worthy of continued research.

2. Further research work

In the future, deeper geographic and cultural backgrounds should be included in the study of plant forms and digital ceramics creation in both China and Thailand. In this way, the research will not be limited to the realm of art and the 3D printing process but will have a broader connotation. However, iterative digital technologies, such as multi-axis robotic arms and AI technology, are emerging one after the other. Continuous iteration, a variety of 3D ceramic printing equipment and technology will help artists and designers to create a higher precision, larger size, and more complex shape of the 3D printed ceramic works. Based on the present, always embracing the development of technology, ceramic art can go further.

4. Summary

If In the context of the profound integration of contemporary art and technology, the creation of Thai plant organic form ceramics based on 3D technology represents a novel artistic paradigm characterized by cross - cultural elements, parametric design, and digital mechanical replication. This practice not only serves as an inheritance and response to art history but also actively pioneers the future landscape of ceramic art. Simultaneously, it exhibits remarkable potential for application in industrial production, with its process accompanied by a profound understanding of technological limitations and creative transcendence.

1. Artistic Inheritance Perspective

Viewed from the perspective of artistic inheritance, the core value of this creation is primarily manifested in its distinct cross - cultural and regional characteristics. It is not a simplistic form of grafting but rather a profound dialogue between the vibrant vitality and organic forms inherent in Thai tropical plants and the time - honored traditional Chinese philosophy of ceramic "vessel" shaping. Chinese traditional vessel - making adheres to the principle of "investigating things to acquire knowledge," emphasizing the unity of the spiritual and practical aspects of objects. On the other hand, Thai plants offer a rich and exotic repository of natural forms. The integration of these two elements gives rise to a novel aesthetic that is both familiar and unfamiliar, imbued with an Eastern charm and a tropical allure.

Furthermore, within the framework of art history, this creative approach can be regarded as a contemporary continuation of the historical avant - garde artistic spirit. The "collage" and "replication" strategies of Dadaism, along with the exploration of the "surreal" dream and subconscious worlds by Surrealism, are here equipped with new tools in the digital era. The innate "mechanical replication" ability of 3D technology has become a modern means to realize the ideal of art democratization. Starting from real natural motifs, the works are translated, reorganized, and recreated through digital technology, ultimately reaching a surreal artistic realm of pure formal beauty. This is an important inheritance and digital translation of the ideas of predecessors in the art field.

2. Pioneering New Artistic Horizons

In the realm of forging a new artistic visage, parametric and digital elements stand out as the most prominent features. Within the domain of sculptural modeling, these works break away from the dominance of traditional manual shaping, which is predominantly intuitive, and introduce a rational construction method driven by algorithms and data. The resulting forms exhibit a kind of "computed vitality." They are abstract rather than representational, yet their abstraction is not arbitrary but derived from the geometric generalization and parametric perturbation of organic forms. This ultimately gives rise to a spatial dynamic structure that combines a sense of natural growth with mathematical logic.

The digital modeling traces deliberately retained by the creators, such as mesh topology, subdivision surfaces, or parametric textures, are not considered flaws to be concealed but are instead elevated to a core formal language of high aesthetic value. In terms of the ontology of ceramic art, this creation achieves a delicate balance and leap. It preserves the basic form of traditional vessels - hollow and upward - extending - thus maintaining a connection with the history of ceramics. At the same time, it revolutionizes the logic of surface texture and internal order formation. Traditional glaze

colors and textures are the result of chemical reactions between kiln fires and clay, while the textures here are the product of precise digital code calculations and mechanical stacking, presenting an unprecedented, austere, and rigorous sense of digital order. This significantly expands the boundaries of ceramic art in terms of both form and concept, holding great significance for academic foresight.

3. Industrial Production Value

The industrial production value of this creation cannot be underestimated. In contrast to traditional ceramic handcrafting, which highly values the unique "aura" of each piece, the advantages of 3D - printed ceramic technology lie in its strong replicability, high efficiency, and stable output. Once a digital model is established, in theory, it can be physically replicated indefinitely with minimal variation. This provides a revolutionary technological pathway for ceramic products to transition from personalized customization to large - scale production. It holds high reference and promotional value for the industrial development of modern ceramic product design, architectural ceramic components, and art derivatives, hinting at the potential emergence of a new "digital handicraft" business model.

4. Confronting Technological Limitations

However, embracing technology inevitably entails facing its limitations. The process of technology application is, in essence, a creative game played in concert with these limitations. Firstly, there are the physical boundaries of precision and size. The current printing precision of desktop - level devices (e.g., the 1 - 5% error associated with a 0.4mm nozzle) can be mitigated through post - production manual repair, yet it remains a factor that those striving for perfection must take into account. The more substantial limitation lies in the print size, which directly circumscribes the physical dimensions of a single - piece formation. Although the strategy of "human - machine collaboration" involving split - printing and assembly can theoretically overcome this limitation, it undoubtedly adds complexity and uncertainty to the process. The realization of large - scale works still depends on larger - sized industrial - level equipment as the most reliable support.

The most formidable challenge lies in achieving the necessary "hollow" and "perforated" structures in ceramic firing through the "layer - by - layer stacking" principle of additive manufacturing. The printer's layer - by - layer deposition mechanism makes it difficult to handle large - area overhangs, and the internal support structures used during sintering pose a risk of kiln explosion. This dilemma compels creators to engage in proactive and intelligent interventions throughout the entire process, from modeling and slicing to printing.

The solutions are multi - faceted. At the design stage (during modeling), unprintable overhang structures need to be ingeniously converted into printable concave or negative forms, representing a reverse thinking approach of "design for manufacturing." At the data preparation stage (during slicing), the problem is decomposed by adjusting the model orientation and dividing components, and subsequent manual assembly is employed to address the remaining issues. During the printing execution stage, real - time manual monitoring and intervention are essential, with the printer paused at crucial

moments to manually insert temporary supports. These strategies do not passively accept technological limitations but actively and creatively guide technology, even transforming limitations into sources of formal innovation.

In summary, the creation of Thai plant ceramics based on 3D technology represents a creative path that bridges the past and the future, integrates Eastern and Southeast Asian cultures, and intertwines art and technology. Rooted in a rich artistic heritage, it vigorously charts new territories in parametric and digital expression. It not only showcases promising industrial prospects but also demonstrates a high level of artistic wisdom in grappling with technological constraints. This practice goes beyond the mere production of objects; it is a crucial theoretical synthesis and practical exploration for redefining the language of ceramic art in the digital age and exploring its future possibilities.

Acknowledgments

As this research and related creative work come to an end, I hereby extend my sincere gratitude to all parties that have provided me with selfless support and assistance.

I would like to express my appreciation to the Chengdu Academy of Fine Arts, Sichuan Conservatory of Music. The institution has furnished an excellent academic environment and robust resource support for this research, thereby laying a crucial foundation for the realization of the creative endeavors.

I am indebted to my colleagues for the invaluable insights and enthusiastic encouragement they offered throughout the course of this research and creation. Additionally, I owe a debt of gratitude to my family and friends. Their unwavering understanding, steadfast support, and constant companionship have been the impetus that has propelled me forward.

In conclusion, I convey my deepest sense of gratitude to all mentors and friends who have shown concern for and provided assistance to this research.

References

- [1] Ximu C. Major Species of Garden Plants in Thailand. *Journal of South China Agricultural University*, 1995, Vol.16 (No. 1), p. 115-121.
- [2] Yongyut T., Rajendra P. Shrestha and Roger K. Plant species vulnerability to climate change in Peninsular Thailand. *Applied Geography*, 2002, Vol. 31, p. 1106-1114.
- [3] Jun Z. and Guoyong C. (2012). A comparative study of garden plants in Jinghong, Xishuangbanna, China and Chiang Mai, Thailand. *Xiandai Horticulture*, 2012, Vol.16, p. 60.
- [4] Wenke w. and Yan R. A Comparative Study of Common Plant Ornaments in Ceramic Paintings between Thailand and China in the 15-16th Century — Taking Kilns in Northern Thailand as an Example. *China Ceramics*, 2021, Vol. 57(No. 4), p. 91-97.
- [5] Song L. et al. An Exploration of the "Plant-inspired Designs" in Traditional Chinese Ceramic Vessels. *Ceramic Studies*, 2023, Vol. 38(No.155), p.108-110.
- [6] Xueyan S. and Jianmin L. Application of plant bionics in domestic ceramic design. *Ceramics*, 2022, p. 107-109.
- [7] Cao W. et al. Research Progress in 3D Printing Technology of Ceramics. *Guangdong Chemical Industry*, 2022, Vol. 49(No. 408), p. 82-84.