

Construction and Sustainable Development of Oilfield Production Facilities in the Middle East

Yue Tong *

CNOOC Iraq Limited, Beijing 100029, China

* Corresponding author: Yue Tong

Abstract: The Middle East is renowned in the world for its abundant oil resources, and the oilfield production facilities, as the core facilities for oil extraction and production, have an important position in the construction and operation in this region. This paper aims to explore the design and construction of oilfield production facilities in the Middle East, with a focus on the factors of sustainable development, including technological innovation and environmental protection, in order to achieve the long-term sustainable development of the oil industry.

Keywords: Middle East; Oilfield Construction; Oilfield Production Facilities.

1. Introduction

The Middle East is one of the world's most important oil-producing regions and is rich in oilfield resources. In order to develop and utilize these resources, a large number of oilfield production facilities have been constructed. However, with the increasing emphasis on environmental protection and sustainable development, the construction of oilfield production facilities is facing a series of challenges. This paper will explore the relationship between the construction of oilfield production facilities and sustainable development in the Middle East and make some constructive suggestions.

2. Well Development and Completion

Oil well development, drilling, and completion represent the most upstream segment of the petroleum industry and, being subsurface operations, they hold a position of paramount importance.

2.1. Reservoir Characterization and Evaluation

Comprehensive and meticulous reservoir assessment is a critical step before oil well development. This process primarily comprises two aspects: geological exploration and reservoir reserves evaluation. It aims to collect key data through the drilling of exploration wells, among other methods, to gain a deep understanding of the geological characteristics of the reservoir and its potential reserve conditions. Accurate reservoir assessment not only provides a solid foundation for subsequent development decisions but also effectively mitigates investment risks due to insufficient information.

2.2. The Application of Horizontal Drilling Technology

Horizontal drilling technology represents an advanced direction in the development of drilling techniques and is also the result of the integrated application of multiple drilling technologies [1]. This technology enables drilling horizontally and directionally beyond the vertical orientation, allowing the drill bit to follow the trajectory of the most hydrocarbon-rich reservoir layers, thereby maximizing contact with the reservoir resources. The application of

horizontal well drilling technology not only significantly enhances the production of individual wells by better utilizing the oil-bearing strata but also effectively reduces the number of wells drilled and minimizes the impact on groundwater hydraulics [2].

2.3. Efficient Completion Methods

Efficient completion technologies are a key factor in enhancing the effectiveness of oil and gas development, particularly in the Middle East, a region endowed with abundant oil and gas resources. Advanced completion techniques, including multi-stage fracturing, hydraulic fracturing, and enhanced oil recovery (EOR) methods, are widely adopted [3]. These technologies not only significantly increase the production of oil wells but also effectively extend the production lifespan of the wells.

Multi-stage fracturing technology is primarily applied in horizontal wells, especially for unconventional oil and gas reservoirs with low porosity and permeability. Multi-stage fracturing is an economically viable and efficient means of development [4]. By implementing multiple fractures at different points along the horizontal section, this technology creates multiple flow channels, greatly increasing the contact area between the reservoir and the wellbore. This method not only boosts the initial production rate of individual wells but also contributes to a higher ultimate recovery rate.

Hydraulic fracturing involves injecting a proppant-laden fracturing fluid into the formation under high pressure to create new fractures or expand existing ones, thereby enhancing the permeability of the reservoir and facilitating the flow of oil and gas [5]. This technique plays a crucial role in improving the production performance of oil and gas wells.

For instance, in the Sadi reservoir of the Halfaya oil field in Iraq, which is characterized as a medium-porosity, ultra-low to super-low permeability limestone reservoir, development has been limited due to poor reservoir properties [6]. To address this issue, a combination of horizontal wells and multi-stage hydraulic fracturing was employed, with Well S5H1 serving as a pilot test well. After production commenced, the initial daily oil production and cumulative oil production within one year were four times and 2.3 times higher, respectively, compared to fractured vertical wells in the same reservoir [6]. This outcome not only significantly

improved the efficiency of reservoir development but also provided valuable experience and reference for the development of similar reservoirs in the Middle East.

Furthermore, EOR techniques are another widely used approach in the Middle East. EOR refers to additional measures taken after primary and secondary oil recovery to further increase the recovery rate from a reservoir [7]. Common EOR methods include gas injection, chemical injection, and thermal injection. These techniques alter the physical and chemical conditions within the reservoir to enhance oil phase mobility and drive more crude oil out of the formation. The application of EOR technologies not only improves the final recovery rate of the reservoir but also extends the production life of the wells, providing essential support for the long-term stable production of oil and gas fields.

2.4. Intelligent Completion and Monitoring

The use of sensors and data analysis to monitor downhole conditions in real-time is instrumental in optimizing the production and maintenance of oil wells, thereby enhancing production efficiency and safety. This includes real-time monitoring and analysis of parameters such as well production rates, well pressure, and hydrocarbon content, as well as making adjustments and optimizations when necessary.

The Middle East has been at the forefront of oil well development and completion technologies, continuously exploring new techniques and methods to improve oilfield extraction efficiency. In response to environmental protection and sustainability requirements, efforts are also being made to seek more environmentally friendly completion technologies that minimize impacts on groundwater and soil and reduce greenhouse gas emissions.

3. Design and Construction of Production Facilities

The design and construction of oil field production facilities are critical to ensuring the efficient operation of oil extraction and production. To enhance energy utilization and address sustainability issues, particular attention should be paid to the following two aspects:

- (1) Considerations in equipment selection and layout design
- (2) Use of low-emission equipment

3.1. Equipment Selection and Layout Design

In the design and construction of oil field production facilities, the selection of dynamic and static equipment is crucial. Commonly used dynamic equipment includes pumps and compressors, which transport crude oil and natural gas either individually or in mixed streams. Static equipment typically consists of multi-way valves, separators, heat exchangers, towers, and storage tanks, forming the essential processes for oil and gas treatment.

Given that oil fields in the Middle East have large reserves and evenly distributed reservoirs, the development period for explored and developed oil fields is generally long. This places high demands on the durability of the equipment used. Therefore, the layout of production facilities should adhere to the principles of simplicity and efficiency, clear processes, and ample redundancy. Central processing stations often employ multiple parallel processing lines, with each line

capable of serving as a backup for the others to prevent emergencies.

Moreover, the selection of various types of equipment and pipelines should be based on the principle of optimal efficiency. On the basis of meeting the process requirements, long-lasting and stable equipment from reputable manufacturers should be chosen to avoid overly complex production processes, thereby reducing energy consumption and operating costs. Taking pumps as an example, both centrifugal pumps and screw pumps can meet the transportation needs for crude oil or mixed oil and gas streams. Specific selections should consider factors such as flow rate, pressure, fluid properties, energy efficiency, and maintenance costs. Typically, for high-flow, medium-to-low pressure clean media, centrifugal pumps offer higher efficiency and are simpler to maintain; for high-viscosity media with significant variations in temperature and pressure, screw pumps demonstrate better adaptability.

3.2. Structure and Material Selection

Considering factors such as load-bearing capacity and seismic risk, the design and construction of framework structures must ensure the safety and stability of the facilities. For the supports of skid-mounted equipment, it is advisable to choose structures with the same or similar load-bearing capacity as the main frame. For dynamic equipment frames, in addition to load-bearing capacity, lateral shear forces must be considered to meet the requirements of long-term stable rotational loads [8].

During the later stages of stable production in Middle Eastern oil fields, as water cut increases, special conditions such as high temperatures, high pressures, and strong corrosivity gradually arise. Using traditional carbon steel materials can easily lead to corrosion and leakage risks, resulting in equipment degradation. Therefore, during the early stages of production facility construction, it is essential to consider the annually increasing corrosion risks and select high-quality, durable materials. This ensures that the entire system can adapt to changes in production conditions for over 20 years, thereby reducing maintenance costs in the later stages.

3.3. Emergency Shutdown Systems and Safety Equipment

In oil field construction, emergency shutdown systems and safety valves should be incorporated to handle emergencies and ensure personnel safety and facility protection. For oil and gas stations, especially areas with high gas content, safety measures such as fire prevention, gas detection, and leak control must be considered, and corresponding alarm signals should be set up along the process flow. Examples include fire alarm systems, corrosive gas detection systems, and PAGA (Public Address and General Alarm) systems.

3.4. Automation and Digitalization Technologies

In the oil production sector of the Middle East, the application of automation and digitalization technologies is of great significance for improving production efficiency, reducing costs, and enhancing safety [9].

Sensors are widely used in oil field production facilities to monitor various parameters such as temperature, pressure, flow, and vibration, providing real-time data on the operational status of equipment and wells. The data collected

by these sensors are transmitted via networks to central control systems, offering operators real-time information that helps in promptly monitoring the condition of the equipment.

By analyzing large volumes of data, trends can be identified, and equipment operation strategies can be optimized, enabling intelligent adjustments to each piece of equipment according to production plan requirements. Data analysis can also extract useful information and patterns for predictive maintenance, predicting potential failures in critical equipment or core installations.

Remote monitoring systems allow for the supervision and management of oil field facilities via the internet, without geographical limitations. Operators can monitor the operational status of equipment in real-time, receive alarm information, and perform remote control and adjustments through computers or mobile devices.

The adoption of automation and digitalization technologies can enhance production efficiency, reduce equipment failures and downtime, lower maintenance costs, minimize personnel exposure to hazardous environments, and improve safety. This leads to more intelligent, efficient, and safe operation and management of oil field production.

3.5. Environmental Impact Assessment

Conducting an Environmental Impact Assessment before the construction of production facilities is essential to protect the surrounding natural ecosystems and prevent damage to local ecological environments.

For example, in a certain oil block, due to its proximity to a government-designated wetland nature reserve, despite the rich oil and gas reserves in the area, it is not feasible to establish a production station here. As a result, the plan had to be modified, and the strategy shifted to drilling horizontal wells later for oil and gas extraction.

Wastewater treatment is a critical component of the oil production process. Designing and constructing wastewater treatment systems to reuse treated wastewater for injection to maintain formation pressure not only meets the needs of sustainable development but also avoids pollution of the environment around the oil field, satisfying environmental protection requirements.

By comprehensively considering these factors in the design and construction of production facilities, it is possible to achieve sustainable development goals while ensuring that the oil production process is safe, efficient, and environmentally friendly.

4. Environmental Protection and Sustainability

In terms of environmental management in oil fields, particularly concerning wastewater treatment and reuse, waste management and environmental restoration, as well as greenhouse gas emissions and energy efficiency, oil field developments in the Middle East need to implement a series of measures to achieve environmental protection and sustainable development.

4.1. Wastewater Treatment and Reuse

Commonly used oily wastewater treatment technologies in oil fields include biological degradation, membrane filtration, and electrochemical treatment [10]. Due to industrial chain limitations in the Middle East, chemical treatment (such as adding scale inhibitors, coagulants, weak acids, or bases) is

often employed upstream in water treatment projects to remove large particulate impurities from the wastewater. After treatment, if the water meets the required standards, it is generally used directly for injection. If the water is to be reused, membrane filtration technology is applied to treat the water to meet the requirements for production use.

4.2. Waste Management and Environmental Restoration

Wastes generated during oil field production primarily refer to hydrocarbons that cannot be processed post-extraction. From the design stage of the oil field, it is essential to consider establishing discharge systems and flare systems to convey all hydrocarbons emitted from various process flows (such as hydrogen sulfide, carbon dioxide, and other toxic gases) to the flare system for combustion and degradation, thereby minimizing pollution to the surrounding environment.

For facilities or tools abandoned during oil field development, a unified collection system should be implemented, along with a strict waste management plan that includes sorting, recycling, and safe disposal. Special handling of hazardous wastes is required to prevent contamination of soil and groundwater. Concurrently, environmental restoration efforts should be carried out to rehabilitate the oil field area, returning it to its natural state and reducing ecological damage.

4.3. Greenhouse Gas Emissions and Energy Efficiency

Improving the combustion efficiency of flare systems to reduce emissions and achieve low-carbon production is a critical approach to realizing green and sustainable development. For different process flows, optimizing the design of air ducts and flare nozzles, controlling the oxygen content within the combustion chamber, and ensuring uniform gas mixing can significantly enhance the completeness of the combustion reaction. For instance, in a Middle Eastern oil field, improvements to traditional flare designs have been made by integrating sensor technology to monitor flame conditions and oxygen concentration, allowing for timely adjustments to gas supply and ignition conditions. Additionally, the temperature of the flare inlet pipelines has been increased to preheat the exhaust gases, thereby reducing the formation of harmful substances from incomplete combustion. Furthermore, in the era of rapid new energy development, it is advisable to consider the use of clean energy sources, such as solar and wind power, to supplement the energy supply of facilities, thereby reducing dependence on fossil fuels.

5. Suggestions for Building Sustainable Oil Production Facilities in the Middle East

5.1. Strengthen Environmental Management and Monitoring

Platform constructors and operators should establish a comprehensive environmental management system to ensure that their activities comply with environmental regulations and standards. This includes developing environmental protection plans, establishing environmental monitoring mechanisms, and setting up emergency response measures.

Continuous environmental monitoring should be conducted throughout the construction and operation of oil field production facilities to promptly identify and address environmental issues. Monitoring content can include environmental indicators such as wastewater, exhaust gases, noise, and vibration. A thorough environmental impact assessment should be performed before platform construction to evaluate the extent of the platform's impact on the surrounding environment and to develop corresponding environmental protection measures.

5.2. Promote Technological Innovation to Reduce Emissions

Platform constructors and operators should increase research and application of environmental protection technologies to reduce the emission of wastewater, exhaust gases, and solid waste. For example, advanced wastewater treatment technologies, exhaust gas purification technologies, and solid waste management technologies can be adopted to minimize negative environmental impacts. By introducing low-carbon technologies, such as carbon capture and storage, greenhouse gas emissions can be effectively reduced. Additionally, the promotion of clean energy technologies, including the use of solar and wind power in oil field production, can help decrease dependence on traditional energy sources and reduce carbon emissions.

5.3. Improve Energy Utilization Efficiency and Promote the Application of Clean Energy

By optimizing energy management on the platform, such as improving equipment efficiency and streamlining production processes, energy consumption and waste can be reduced. Actively introduce clean energy technologies, such as solar, wind, and geothermal energy, to replace the use of traditional energy sources, thereby reducing dependence on fossil fuels and decreasing greenhouse gas emissions.

6. Differences in Oil Field Production and Construction in the Middle East Compared to Other Regions

6.1. Large Engineering Market in Middle Eastern Resource Countries

The Middle East is rich in oil and gas resources, with significant exploration potential, providing a strong foundation for substantial increases in reserves and production. The region holds approximately 34 billion tons of undiscovered oil and 35.9 trillion cubic meters of undiscovered gas, representing 23% and 30% of the world's total, respectively. It is estimated that by 2020 and 2030, the region's oil production will account for 33% and 40% of global output, respectively.

6.2. Risks Associated with Production Facility Construction in the Middle East

Due to resources, religion, ethnicity and culture, the Middle East has been the most complex and volatile geopolitical security situation in the world, where the U.S., Russia and Europe carry out the great power game from military, politics to economy.

(1) In the Iraqi market, Iraq's ethnic, religious and political factional struggles are intense, with poor social stability, political instability, imperfect policies and regulations, low

level of technology and management of local companies, low efficiency, and a shortage of local labor force that meets the requirements, making it difficult for localized operations to satisfy the needs of foreign companies' projects, which puts pressure on project schedules and quality of work.

(2) In the Iranian market, Iran is deeply embroiled in regional international disputes and has tense relations with Sunni-dominated countries such as Israel and Saudi Arabia. Iran's business environment is not standardized enough and its business concepts are backward; Iranian partners lack win-win concepts and pursue exclusive interests in business activities; government management is chaotic and inefficient, the regulatory system is missing and local protection is serious, all of which impede the smooth implementation of Sino-Iranian oil and gas cooperation.

(3) In the market of the six Gulf countries, the oil market in the Gulf region is a high-end market, and the oil industry of each country was dominated by the British and American oil companies in the early stage of its development, and the management system of the oil industry, the standards and requirements of the operation norms have been extended to the standards of the Western oil companies, and the degree of international convergence and the requirements for the management of information technology are higher, as well as the political stability and the market maturity, and it is the region where the large-scale international oil service companies are paying attention to, with intense competition in the oil engineering services market. Competition in the oil engineering services market is fierce. Europe and the United States, Japan and South Korea, Indian companies and local companies constitute the four major categories of oil service companies in the region [11].

7. Conclusion

Over the past few decades, the construction of oil production facilities in the Middle East has experienced rapid development, solidifying the region's position as the center of global oil production. However, as societal emphasis on sustainability and environmental protection continues to grow, the construction of oil fields in the Middle East must balance production needs with sustainable development goals.

Rational design, technological innovation, and environmental protection are key elements in achieving sustainability. Oil production facilities need to enhance technological innovation by adopting more environmentally friendly and efficient production techniques to reduce carbon emissions and water consumption. At the same time, there should be a focus on the protection and restoration of ecosystems. To achieve true sustainable development, continuous efforts are required to address environmental challenges and promote the transition to green energy, ensuring the coordinated development of the economy, environment, and society.

References

- [1] Wang Qiuran, Wang Yingchun, Wang Neng. Overview of Seven Drilling Technologies [J]. West-China Exploration Engineering, 2021, 33(12): 67-68+72.
- [2] FENG Qian-jiu. Research on Horizontal Drilling Technology in Oilfield [J]. Chemical Engineering Management, 2021, (35): 193-194.
- [3] MA Kaihua, HOU Lizhong, ZHANG Hongbao. Drilling & Completion Technologies of Sinopec Overseas Oilfields:

- Status Quo of Technology & Development Suggestions [J]. Petroleum Drilling Techniques, 2018, 46(5): 1-7.
- [4] LI Lizhe, ZHOU Fujian, WANG Bo. Method investigation on intelligent optimization of high dimension HWMHF parameters. Petroleum Science Bulletin, 2023, 03: 347-359.
- [5] Cao Enming. Analysis of Key Technologies in Hydraulic Fracturing of Oil Reservoirs [J]. Chemical Engineering & Equipment, 2023, (09): 99-100+95.
- [6] Ma Yingzhe, Wei Guofeng, Fang Yuan. Application of multi-stage hydraulic fracturing of horizontal well in Halfaya Oilfield, Iraq[J]. China Petroleum Exploration, 2022, 27(5): 138-146.
- [7] YANG Yong-chao, SHAO Li-yun. Pilot Area of Improved Oil Recovery by Artificial Earthquake and Its Effect[J]. Offshore oil, 2005, 25(4): 67-70,83.
- [8] Cui Yimeng, Li Musheng, Xiao Qian, et al. Investment Analysis and Application Research on Skid-Mounted Equipment in Petroleum Construction Projects [J]. Engineering Cost Management, 2023(6):73-80.
- [9] Zhang Chunhua, Song Wenyu, Yu Tong, et al. Research on the Application and Development of Automation and Intelligent Technologies in the Petroleum Equipment Manufacturing Industry [J]. China Plant Engineering, 2023, (15): 18-20.
- [10] Ding Jian, Shen Wenjun, Wang Fei, et al. Research on Petrochemical Processes and Wastewater Treatment [J]. Petrochemical Industry Technology, 2023,30(06):98-100.
- [11] Energy Intelligence. Opportunities and Challenges for China's Oilfield Service Industry in the Middle East [EB/OL]. (2020-01-09) [2024-05-08].<https://www.chinacqpgx.com/hy/shownews?id=4109>.