Journal of Education and Educational Research
ISSN: 2957-9465 | Vol. 9, No. 3, 2024

Exploration and Analysis of Core Technologies in New Energy Vehicles

Baolong Peng, Qianyong Zhang, Mingxiao Wang and Miaomiao Xiu

School of Shipping, Shandong Jiaotong University, Weihai 264200, China

Abstract: With the worsening environmental issues and the scarcity of energy resources, new energy vehicles have become a crucial solution to address traffic pollution and the energy crisis. This paper reviews the classification and technological status of new energy vehicles, discussing the technical characteristics and application prospects of electric vehicles, hydrogen fuel cell vehicles, and plug-in hybrid vehicles. It also analyzes the challenges they face in terms of cost, range, infrastructure, and safety. By delving into key technologies such as battery technology, hydrogen fuel cell technology, and electric motor and drive technology, this paper envisions the development trends of new energy vehicles, highlighting that future technological innovations, policy support, and infrastructure development will drive the widespread adoption of new energy vehicles, achieving the goals of green transportation and sustainable development.

Keywords: New Energy Vehicles; Electric Vehicles; Battery Technology; Electric Motor Technology.

1. Classification of New Energy Vehicles

New energy vehicles primarily include Electric Vehicles (EVs), Fuel Cell Electric Vehicles (FCEVs), and Plug-in Hybrid Electric Vehicles (PHEVs) [1]. Each type of new energy vehicle has its own unique technical characteristics and application prospects.

1.1. Electric Vehicles (EVs)



Figure 1. electric vehicles




Figure 2. new energy vehicles

Electric vehicles use batteries as their power source and are driven by electric motors[2]. Their main advantages include zero emissions[3], low noise, and high energy efficiency. In recent years, advancements in battery technology have significantly improved the range and charging speed of electric vehicles[4]. However, the high cost of electric vehicles and the lack of charging infrastructure remain major obstacles to their widespread adoption.

Technical Characteristics

1.Battery Technology: Electric vehicles primarily rely on lithium-ion batteries and solid-state batteries. Lithium-ion batteries have become the market mainstream due to their high energy density and long lifespan, while solid-state batteries are considered the future direction for their high safety and energy density.

2.Drive System: The drive system of electric vehicles typically includes an electric motor, inverter, and reducer. Permanent magnet synchronous motors are widely used for their high efficiency and power density, but they are heavily dependent on rare earth materials.

3.Charging Technology: Charging technology includes slow charging, fast charging, and wireless charging [5]. Slow charging is suitable for overnight home charging, fast charging is used for public charging stations and high-speed charging stations, and wireless charging offers a more convenient charging method.

Application Prospects

Electric vehicles have broad application prospects in urban transportation, short-distance transportation, and public transit. As battery costs decrease and charging infrastructure improves, the market share of electric vehicles will further increase. Additionally, electric vehicles show great potential in shared mobility and autonomous driving.

1.2. Hydrogen Fuel Cell Electric Vehicles (FCEVs)

Hydrogen fuel cell vehicles generate electricity through the electrochemical reaction between hydrogen and oxygen to drive the electric motor. The main advantages include quick refueling, long range, and zero emissions [6]. However, the production, storage, and transportation of hydrogen still require further technological advancements. The high costs and the incomplete hydrogen refueling station network also

limit their large-scale application.



Figure 3. Hydrogen Fuel Cell Electric Vehicles

Technical Features

1.Fuel Cell System: The core components of a fuel cell system include the membrane electrode assembly (MEA), bipolar plates, and catalysts. The MEA determines the fuel cell's performance and lifespan, with catalysts typically using precious metal platinum, leading to high costs.

2.Hydrogen Storage: Hydrogen storage technologies include high-pressure hydrogen storage, liquid hydrogen storage, and solid-state hydrogen storage. High-pressure hydrogen storage is the current mainstream technology but requires high-strength storage tanks. Liquid and solid-state hydrogen storage technologies need improvements in energy density and safety.

3.Hydrogen Refueling Stations: Building hydrogen refueling stations is costly and technically demanding, requiring large-scale investment and policy support. Currently, the number and distribution of hydrogen refueling stations cannot meet market demand.

Application Prospects

Hydrogen fuel cell vehicles have significant advantages in long-distance transportation, large commercial vehicles, and special-purpose vehicles (e.g., cold chain transport, port operation vehicles). As hydrogen technology advances and hydrogen infrastructure improves, the market potential of hydrogen fuel cell vehicles will gradually be realized.

1.3. Plug-in Hybrid Electric Vehicles (PHEVs)

Plug-in hybrid electric vehicles combine a traditional internal combustion engine with an electric motor [7], allowing for both electric and fuel driving. The main advantages are long range and fuel flexibility, but the complex powertrain system increases manufacturing and maintenance costs [8].




Figure 4. Plug-in Hybrid Electric Vehicles

Technical Features

1.Dual Powertrain System: PHEVs are equipped with both an internal combustion engine and an electric motor, allowing switching between pure electric mode, hybrid mode, and internal combustion mode. The battery pack is typically smaller but can be charged via an external power source.

2.Energy Management System (EMS): The EMS optimizes the operation of the engine and electric motor through intelligent control to improve overall efficiency and reduce emissions. It also manages battery charging and discharging to ensure safety and longevity.

3.Regenerative Braking System: PHEVs commonly feature regenerative braking systems, which recover braking energy to recharge the battery, thus enhancing energy utilization efficiency.

Applications and Prospects

Plug-in hybrid electric vehicles (PHEVs) appeal to users who require long range and flexible fuel options, making them particularly suitable for intercity and long-distance travel[9]. PHEVs also play a significant role in reducing urban traffic emissions and improving fuel economy. With advancements in battery technology and cost reductions, the market acceptance of PHEVs is expected to increase further.

Conclusion

The diverse classification of new energy vehicles enables them to meet various market demands and application scenarios. Electric vehicles excel in urban traffic due to their environmental performance, hydrogen fuel cell vehicles show great potential in long-distance transportation and commercial vehicle sectors, while PHEVs combine long range with fuel flexibility, suitable for diverse driving conditions. Through continuous technological innovation and policy support, these types of new energy vehicles will see broader application and promotion in the future, contributing to sustainable transportation and green mobility [10].

2. New Energy Vehicle Technology

2.1. Battery Technology

Batteries are the core components of electric vehicles and plug-in hybrid electric vehicles [11], determining the vehicle's range, performance, and cost. Currently, mainstream battery types include lithium-ion batteries, solid-state batteries, and sodium-ion batteries.



Figure 5. New energy vehicle batteries A




Figure 6. New energy vehicle batteries B

Lithium-Ion Batteries

Lithium-ion batteries have become the mainstream choice in the electric vehicle market due to their high energy density and long lifespan [12]. Their advantages include:

1.High Energy Density: Lithium-ion batteries provide a high energy density, offering longer driving ranges for vehicles.

2.Long Lifespan: Compared to other battery types, lithium-ion batteries have a longer cycle life, capable of thousands of charge-discharge cycles.

However, lithium-ion batteries also have areas that need improvement:

1.Safety: Lithium-ion batteries may experience thermal runaway and pose risks of fire or explosion under high temperature, high voltage, or damage conditions. Enhancing battery safety is a current focus of research [13].

2.Cost: Manufacturing costs for lithium-ion batteries are high, mainly due to material costs and complex manufacturing processes.

Solid-State Batteries

Solid-state batteries are seen as a significant development direction for future battery technology. Their primary advantages include:

1.High Safety: Solid-state batteries use solid electrolytes, reducing the risk of leakage and fire associated with liquid electrolytes.

2.High Energy Density: Solid-state batteries theoretically can achieve higher energy densities, providing longer driving ranges.

However, solid-state batteries also face challenges:

1.Manufacturing Processes: The manufacturing processes for solid-state batteries are not yet mature and require further technological breakthroughs and process optimizations.

2.Cost: Currently, the manufacturing cost of solid-state batteries is high and needs to be reduced through scaled production and technological advancements.

Sodium-Ion Batteries

Sodium-ion batteries are attracting attention due to their abundant raw materials and low cost. Their main advantages include:

1.Low Cost: Sodium-ion batteries have lower material costs, with sodium being abundant and widely distributed.

2.Environmental Friendliness: The production process of sodium-ion batteries is relatively environmentally friendly, with minimal environmental impact.

However, sodium-ion batteries also have areas for improvement:

1.Energy Density: Sodium-ion batteries have lower energy density compared to lithium-ion batteries, resulting in shorter driving ranges.

2.Cycle Life: Currently, the cycle life of sodium-ion batteries needs improvement to meet practical application demands.

Hydrogen Fuel Cell Technology

Hydrogen fuel cells generate electricity through the electrochemical reaction of hydrogen and oxygen, offering high energy density and zero emissions advantages. Key technological features include:

1.High Energy Density: Hydrogen fuel cells provide high energy density, offering longer driving ranges for vehicles [14].

2.Fast Refueling: Refueling with hydrogen typically takes only a few minutes, much faster than recharging electric vehicles.

However, hydrogen fuel cell technology also faces challenges:

1.Lifespan and Performance: Further improvements are needed in the lifespan and performance of hydrogen fuel cells, especially in durability of membrane electrode assemblies (MEAs) and stability of catalysts.

2.Cost: High costs of hydrogen fuel cells are primarily concentrated in catalysts and MEAs, necessitating cost reductions through technological innovation and scaled production.

3.Hydrogen Production and Storage: Currently, hydrogen production heavily relies on fossil fuels, necessitating the development of greener hydrogen production technologies. Additionally, breakthroughs in hydrogen storage and transportation technologies are needed to enhance safety and cost-effectiveness.

2.2. Electric Motor and Drive Technology

The electric motor is the core propulsion device of new energy vehicles [15], directly impacting vehicle performance and efficiency. Currently, mainstream types of electric motors include permanent magnet synchronous motors and induction motors.



Figure 7. New energy vehicle motors A




Figure 8. New energy vehicle motors B

Permanent Magnet Synchronous Motor (PMSM)

Permanent Magnet Synchronous Motors are widely used due to their high efficiency, high power density, and low noise. Their main advantages include:

1.High Efficiency: Permanent Magnet Synchronous Motors operate with high efficiency across a wide range of speeds and loads.

2.High Power Density: PMSMs have a high power density, resulting in smaller size and weight.

3.Low Noise: The operation of Permanent Magnet Synchronous Motors is characterized by low noise levels,

enhancing vehicle comfort.

However, Permanent Magnet Synchronous Motors also face some challenges:

1.Rare Earth Dependency: The magnets used in PMSMs often contain rare earth elements, and fluctuations in rare earth supply and prices may impact their cost.

2.Temperature Management: PMSMs can generate significant heat under high loads and speeds, requiring effective temperature management systems.

3. Development Trends

Development trends in new energy vehicles focus on advancing battery technology and promoting hydrogen fuel cells. Future efforts aim to enhance energy density and charging speed while reducing costs through scaled production and new materials. Solid-state batteries and novel lithium-ion variants are key research areas; sodium-ion batteries offer cost-effective alternatives. Fast charging advances will improve user experience.

Hydrogen fuel cell R&D targets low-cost catalysts and green production for true zero emissions. Infrastructure and smart tech integration expand charging networks, especially in urban and highway areas. IoT and big data optimize smart charging and hydrogen networks. Autonomous driving and V2X tech boost traffic efficiency and cut emissions.

Smart energy systems optimize grid interaction, boosting new energy adoption. These trends drive green transportation and sustainability.

4. Conclusion

The current state of new energy vehicle technology demonstrates rapid development and ongoing advancements in various battery technologies, hydrogen fuel cell technology, and electric motor technology. While each technology has its strengths, weaknesses, and challenges, these issues are gradually being addressed through technological innovation and policy support. Looking ahead, research into new battery technologies, hydrogen utilization, and efficient electric motors will further drive the development of new energy vehicles. These advancements contribute to achieving green transportation and sustainable energy utilization goals.

References

[1] Zhao J, Liu X, Wang S, et al. Review of Design and Control Optimization of Axial Flux PMSM in Renewable-energy Applications[J]. Chinese Journal of Mechanical Engineering, 2023,36(02):45-65.

[2] Kim D ,Joo H ,Kim C , et al. A comprehensive review on the resynthesis of ternary cathode active materials from the leachate of Li-ion batteries[J]. Journal of Energy Chemistry, 2024, 95(08):446-463.

[3] Zhu Z. The Predicament of the Automobile Market--From the Perspective of General Motors[C]//Eliwise Academy. Proceedings of the 2022 International Conference on Financial Technology and Business Analysis (part2). Engineering school, The University of Sydney, 2022:5.

[4] Yang S, Gao Q, Li Y, et al. Residual fluoride self-activated effect enabling upgraded utilization of recycled graphite anode[J]. Journal of Energy Chemistry,2024,93(06):24-31.

[5] Wang F ,Zhang T ,Zhang T , et al. Recent Progress in Improving Rate Performance of Cellulose-Derived Carbon Materials for Sodium-Ion Batteries[J]. Nano-Micro Letters, 2024, 16(08):108-153.

[6] The Status Quo and Development Trend of Low-carbon Vehicle Technologies in China[J]. Advances in Climate Change Research,2010,1(01):34-39.

[7] Singh P S, Singh P P, Singh N S, et al. State of charge and health estimation of batteries for electric vehicles applications: key issues and challenges[J]. Global Energy Interconnection, 2021, 4(02):145-157.

[8] Chang Yao H, Liang L, ShengNan F, et al. Energy saving performance improvement of intelligent connected PHEVs via NN-based lane change decision[J]. Science China (Technological Sciences),2021,64(06):1203-1211.

[9] J.Y. Hu, B.Li ,C. Liu, et al. Demand response and economic dispatch of power systems considering large-scale plug-in hybrid electric vehicles/electric vehicles[C]//Advanced Science and Industry Research Center. Proceedings of the International Conference on Multimedia, Communication and Computing Application (MCCA 2014). China Electric Power Research Institute, 2014:4.

[10] Zhou S, Niu D, Wang Q. Life Cycle Assessment of Impacts of PHEVs on GHGs emissions[C]//Information Engineering Research Institute, USA. Proceedings of 2014 3rd International Conference on Micro Nano Devices, Structure and Computing Systems (MNDSCS 2014).North China Electric Power University 2nd Beinong road;, 2014:6.

[11] Yao H, Yongchun Y, Shaobo W .Network and mechanism of China's new energy vehicle industry from the perspective of value chain [J].Journal of Geographical Sciences,2024, 34(04): 779-803.

[12] Wang G ,Wang G ,Fei L , et al. Structural Engineering of Anode Materials for Low-Temperature Lithium-Ion Batteries: Mechanisms, Strategies, and Prospects[J]. Nano-Micro Letters, 2024, 16(08):175-201.

[13] Tan Y, Pu J, Li H, et al. Water molecular activity management towards stable Zn anodes[J/OL]. Science China Chemistry, 1-13 [2024-07-02].

[14] Liu X, Su Y, Chen R. Atomic-scale engineering of advanced catalytic and energy materials via atomic layer deposition for eco-friendly vehicles[J]. International Journal of Extreme Manufacturing, 2023,5(02):95-122.

[15] Liu R. Impairment Risk and Prevention Research of Goodwill in Corporate Mergers and Acquisitions--A Case Study of Broad-Ocean Motor[C]//Wuhan Zhicheng Times Cultural Development Co., Ltd. Proceedings of 4th International Conference on Economic Development and Innovation (EDI 2023). School of Economics and Management, Hubei University of Technology; 2023:11.