

Intervention for Childhood Social Withdrawal from a Relational Perspective: A Nursing Education Perspective

Xintong He^{1, *}, Yating Tang^{1, a}

¹ School of Education, Yangzhou University, Yangzhou, Jiangsu 225009, China

* Corresponding Author Email: 1933094478@qq.com, ^a 3138173028@qq.com

Abstract. Childhood social withdrawal, a common psychological and behavioral disorder during development, not only impairs children's current social functioning but also serves as a potential risk factor for long-term internalizing problems (e.g., anxiety and depression). However, the construction of a systematic theory-based psychological nursing pathway in nursing settings remains to be explored. Grounded in the relational perspective of attachment theory, this paper analyzes the mechanism of emotional security deficiency underlying childhood social withdrawal behaviors and develops a psychological nursing intervention pathway suitable for clinical and community nursing contexts. Centered on the core mechanisms of "secure base" and "safe haven", this pathway derives four core strategies: emotional validation, social skill modeling, progressive exposure, and therapeutic nurse-patient relationship building. It also emphasizes the necessity of professional capacity building for nurses and multidisciplinary collaboration during implementation. This paper aims to provide a localized intervention framework based on attachment theory for childhood psychological nursing practice, so as to expand the professional role and function of nurses in promoting children's mental health.

Keywords: childhood social withdrawal, attachment theory, psychological nursing, nursing intervention, secure attachment.

1. Introduction

From the perspective of nursing science, childhood social withdrawal is not only a developmental psychological and behavioral problem but also a core issue that urgently needs attention in the field of childhood psychological nursing. Childhood social withdrawal is a common behavioral problem in children's development, mainly manifested as active avoidance, reticence, keeping distance from peers, or excessive restraint in social situations[1]. Epidemiological data show that approximately 30 million children and adolescents in China suffer from various behavioral problems, with an increasing incidence. Among them, social withdrawal is particularly common in children with introverted temperament or behavioral inhibition characteristics. Social withdrawal not only directly hinders children's peer interaction and social skill acquisition but also induces a series of maladaptive consequences such as damaged self-esteem and aggravated anxiety and depression tendencies[1]. Without timely and effective intervention, it will exert a sustained negative impact on their long-term physical and mental health and social integration. Therefore, exploring effective intervention strategies from the perspective of nursing is of great significance.

In recent years, the nursing discipline has increasingly focused on the integration of children's psychological development and nursing practice, advocating a family-centered holistic nursing model. Against this background, attachment theory under the relational perspective provides an important framework for understanding and intervening in childhood social withdrawal behaviors. Attachment theory was systematically proposed by British psychologist John Bowlby in the 1960s. Its core claim is that infants and young children gain a sense of security through emotional bonds (attachment relationships) formed with primary caregivers, thereby safely exploring the environment and developing socio-emotional abilities[2]. Numerous studies have confirmed that children with secure attachment show better development in cognitive, emotional, and social aspects[3]. Accordingly, promoting secure attachment has become an important goal of many early childhood intervention programs[3]. In nursing practice, introducing the relational perspective of attachment theory helps

nurses understand the underlying causes of social withdrawal from children's interpersonal relationships and formulate more targeted intervention measures.

Based on the relational perspective and attachment theory, this study intends to explore the psychological characteristics and causes of childhood social withdrawal behaviors, and focus on the application pathway of attachment theory in nursing interventions, including specific nursing intervention strategies, as well as suggestions for nurse training and multidisciplinary collaboration. On the basis of relevant research results at home and abroad, this paper analyzes the applicability and limitations of this theoretical perspective, providing theoretical basis and practical implications for childhood psychological nursing practice.

2. Selected Theoretical Perspective and Core Claims

This study selects attachment theory as the core theoretical framework for analyzing childhood social withdrawal. The theory was first systematically proposed by British psychologist John Bowlby in 1969[4], emphasizing that infants and young children gain a sense of security through establishing emotional bonds with primary caregivers, and develop environmental exploration ability and psychological adaptability on this basis. Subsequently, Mary Ainsworth further verified and refined attachment theory through the "Strange Situation" experiment, proposing four attachment patterns: secure, avoidant, ambivalent, and disorganized[5]. Since its establishment, attachment theory has consistently emphasized that the quality of early parent-child relationships exerts a profound impact on children's lifelong development.

From this perspective, the core goal of parenting should shift from emphasizing external behavioral discipline or early independence to building an internal emotional security foundation for children to promote their mental health development. The primary task is to help children develop secure attachment, a stable, predictable, and emotionally supportive relational experience[6]. This sense of security provides a psychological foundation for children to explore the outside world—when children are convinced that "parents will be there when I need them no matter where I go", they are more willing to leave their parents to try interacting with others, learn new skills, or face challenges. Therefore, parenting focuses on promoting the development of emotion regulation ability, enhancing self-worth, and cultivating empathy and interpersonal trust, which are regarded as the key cornerstones of future social adaptation and mental health.

Attachment theory redefines parents' roles as children's "secure base" and "safe haven". A "secure base" means parents provide sufficient psychological support for children to dare to explore outward; a "safe haven" means children can return to their parents for comfort and protection when encountering setbacks, fears, or pressures[6][7]. The key to fulfilling this role lies in parents' "responsive parenting": sensitively detecting children's emotional signals and responding in a warm, consistent, and timely manner. Such continuous positive interactions gradually shape high-quality parent-child relationships, which become a hotbed for children's psychological growth.

Attachment theory also puts forward the concept of children's internal working model, referring to the cognitive schema formed by children in repeated parent-child interactions about "whether I am worthy of being loved" and "whether others are trustworthy"[6][8]. These internal working models are not fixed psychological schemas; instead, they are dynamically shaped, confirmed, or revised throughout childhood through continuous interactions with attachment figures. For example, children who are often responded to promptly and tenderly develop positive beliefs such as "I am important" and "Others are reliable"; conversely, long-term lack of attention or rejection may lead to negative expectations such as "I am not good enough" and "Others are untrustworthy". These early internal models not only affect children's current emotional and behavioral responses but also extend to interpersonal relationships and parenting styles in adulthood, exerting long-term influences.

In summary, the quality of early parent-child emotional bonds is crucial to children's development[4][6][8]. This understanding also provides enlightenment for nursing practice: when assessing and intervening children's behavioral problems, nurses should pay special attention to

children's early attachment relationships and take improving parent-child relationships as an important entry point for psychological nursing.

3. Analysis of Specific Childhood Behavioral Problems: Taking Social Withdrawal as an Example

Social withdrawal is a common type of behavioral problem in childhood, characterized by children's avoidance, silence, isolation, or excessive restraint in social situations[9]. In collective environments such as kindergartens, schools, or family gatherings, some children show such withdrawal tendencies, which are particularly common in children with introverted and emotionally sensitive temperaments. The manifestation of social withdrawal is often similar to temperamental shyness, but from the relational perspective, its deep root is more likely to point to the lack of emotional security or the internalization of insecure attachment relationships. Under the relational perspective framework, social withdrawal can be regarded as a defensive strategy for children who lack trust in the outside world—if they fail to establish a stable sense of security in their closest relationships, they are more likely to view the outside world as unpredictable or even dangerous.

Therefore, the focus of nursing intervention is to guide parents to adopt supportive parenting strategies based on attachment theory instead of traditional mandatory socialization or negative education methods. Specifically, effective coping methods include emotional validation, social skill modeling, and progressive exposure. First, emotional validation means parents sincerely acknowledge and accept children's expressed emotions such as tension and fear. For example, parents can say to their children: "I know you are a little scared to play with other kids now, and that's normal." Such understanding and respect help alleviate children's anxiety and avoid aggravated withdrawal due to emotional negation. Second, parents can provide positive social models for children through their own demonstration: demonstrating how to take the initiative to greet others, take turns in communication, or resolve small conflicts friendly in daily life, so that children can learn specific interaction skills through observation. In addition, low-pressure social opportunities should be created, such as inviting one or two familiar playmates to play at home or participating in small parent-child activities organized by community nurses, so that children can gradually practice social skills in a familiar environment without feeling overwhelmed.

In conclusion, improving parent-child relationships to establish secure attachment can gradually enhance children's sense of security and social confidence, reducing their immediate anxiety while increasing social participation. In the long run, such interventions also help improve children's social skills, cognitive evaluation, and emotion regulation abilities, pointing out a clear direction for childhood psychological nursing practice[10].

4. Limitations of the Perspective and Practical Considerations

Attachment theory provides important insights for understanding children's development, but its application also has certain limitations. First, while emphasizing the core role of early parent-child relationships, attachment theory may insufficiently consider the mechanisms of other influencing factors (such as children's own temperament characteristics and peer relationships). For example, children's innate temperament greatly affects their social behavior[11]. For instance, children with behavioral inhibition temperament (Kagan, 1998) may show persistent social caution or withdrawal even in a supportive family environment. This reminds us to avoid single attribution of social withdrawal behaviors to the quality of attachment relationships, so as to prevent inappropriate blame on the family system and ensure the accuracy of intervention focus.

Attachment theory implies an ideal premise that parents have sufficient time, energy, and emotional investment. However, in real life, many parents face work pressure, financial burden, marital conflicts, or their own psychological trauma, making it difficult to always provide high-quality emotional responses. This situation is particularly prominent in single-parent families,

economically disadvantaged families, etc. If only emphasizing "high-quality parent-child relationships" while ignoring the constraints of these structural factors on parenting practices, it may lead to disconnection between theory and reality.

In addition, cultural differences are a factor that cannot be ignored. Attachment theory originated from Western individualistic culture, emphasizing independence, emotional expression, and the satisfaction of personal needs. However, in many collectivist cultures (such as East Asia), parenting places more emphasis on obedience, responsibility, and family harmony, and the expression of intimate relationships is more implicit[12]. Cross-cultural studies show that although the basic function of secure attachment is universal, its specific manifestations and evaluation criteria vary across cultures. Therefore, mechanically copying Western attachment patterns may mistakenly regard normal parenting methods in some cultures as "insensitive" or "alienated".

In nursing practice, nurses should flexibly apply attachment theory according to children's temperament characteristics, family status, and cultural background, appropriately combine other methods such as behavior management, and closely cooperate with multidisciplinary teams including psychology and education to formulate integrated individualized intervention plans. Only in this way can we truly meet the diverse developmental needs of different children and achieve scientific and effective parenting in a complex and changing environment.

5. Nursing Intervention Strategies Based on Attachment Theory

The relational orientation based on attachment theory emphasizes promoting children's social adaptation by enhancing the emotional bond between children and primary caregivers, rather than simply relying on behavior modification or forced exposure. In nursing practice, this orientation is reflected in supportive, relationship-oriented intervention designs, aiming to create a social environment full of security and trust for children, so that they can naturally take steps in social interaction[13]. Combined with the principles of attachment theory, several specific strategies for nursing intervention are proposed below:

5.1. Emotional validation and security building

Nurses or parents should sincerely acknowledge and accept children's expressed emotions such as anxiety and fear, avoiding direct negation or criticism. For example, when facing children with withdrawal behaviors, nurses can use words such as "I know you feel a little nervous now, and that's normal" to acknowledge and label their emotional experiences. This aims to make nurses become children's emotional "secure base" through affect attunement. Such response conveys understanding and support to children, helping them face and accept their own emotions and avoid further withdrawal due to emotional negation. Through emotional validation, nurses actually act as children's "secure base", making them feel that their emotions are seen and protected. Studies point out that when children can get comfort from attachment figures and confirm that someone is backing them up when in pain, their confidence in exploring the world will be significantly enhanced[14]. Therefore, in hospital or community nursing settings, nurses should be good at capturing subtle emotional signals of withdrawn children and provide comfort and positive attention in a timely manner.

5.2. Social skill modeling and guidance

Many socially withdrawn children are not lacking in willingness to interact, but in appropriate social skills and successful experiences[15]. Therefore, nurses can use the modeling learning and emotional empathy mechanisms in attachment theory to provide positive social behavior models for children. For example, nurses can demonstrate positive interactions such as friendly greetings and toy sharing in play therapy, and guide parents to teach children to welcome peers politely and resolve conflicts calmly in daily life. By observing the behaviors of trustworthy adults (attachment figures), children can subtly acquire social skills and reduce fear of unfamiliar interactions. In addition, nurses can design structured role-playing and scenario simulation activities to let withdrawn children

practice skills such as self-introduction, making requests, and polite refusal in a safe atmosphere. When children gradually experience positive social outcomes (such as being welcomed or praised by peers), previous negative cognitions will be revised, making them more willing to participate in social interactions[15].

5.3. Progressive social exposure

Attachment theory holds that children's exploratory behaviors are based on a sense of security[13]. For socially withdrawn children, directly placing them in high-pressure large-scale social environments (such as whole-class group activities) may backfire and increase anxiety. Therefore, nursing intervention should adopt a progressive social exposure strategy: start with low-pressure, small-scale one-on-one interactions, and after children gradually adapt, expand to multi-person activities, and finally transition to formal group environments. In each step, nurses and parents should provide emotional support—comfort children in a timely manner when they are uneasy, and give positive reinforcement when they try to interact. Studies show that securely attached children dare to explore more in unfamiliar environments because they know they can return to attachment figures for comfort even if they encounter difficulties[13]. The long-term goal of progressive exposure is to help children gradually reinterpret the originally "terrifying" social situations as "manageable" scenarios and accumulate confidence through many successful small experiences.

5.4. Establishing a trusting nurse-patient relationship

In clinical nursing practice, nurses can also become secondary attachment figures or important supporters for children[13]. Especially for hospitalized children or those requiring long-term follow-up, nurses become "secondary attachment figures" in the medical environment for children by establishing a stable therapeutic alliance with children and their families. Nurses should try to maintain consistency and predictability of nursing care, such as arranging a fixed nursing team to take care of a certain child, so that children can become familiar with and trust nurses. When children show withdrawal and avoidance, nurses should wait patiently and give encouragement, avoiding blame or coercion. Such a therapeutic attachment relationship not only helps reduce children's anxiety in the medical environment but also improves their treatment compliance.

5.5. Nurse training and multidisciplinary collaboration

To ensure the effective implementation of the above strategies, nursing training should be strengthened and multidisciplinary cooperation promoted. Pediatric and community nurses should be provided with training on children's psychological development and attachment theory to improve their ability to identify social withdrawal and implement psychological interventions. At the same time, nursing interventions should integrate multidisciplinary resources such as psychology, education, and social work to provide comprehensive support for socially withdrawn children[13]. Through professional training and team collaboration, nurses can form joint forces in hospitals, families, and communities to more comprehensively help children overcome social withdrawal and promote their healthy growth.

After the above interventions, children's anxiety levels usually decrease and their willingness to participate in social interactions increases. With the continuation of the intervention, children may gradually develop from only willing to stay in the corner and observe, to willing to stand on the edge of peer activities and watch, and then try to participate in interactions accompanied by familiar relatives and friends. Although this change is a slow and non-linear process, the success of each positive attempt will accumulate children's self-confidence and strengthen their positive cognitive evaluation of social situations. In the long run, children will be more proactive in interacting with others in behavior, with significantly reduced social avoidance; cognitively, they will form more optimistic self and interpersonal cognitions with enhanced self-esteem; emotionally, they will gradually master emotion regulation methods and cope with pressure more calmly.

6. Conclusion

Childhood social withdrawal is a psychological and behavioral problem affected by multiple factors, and its formation is closely related to children's early attachment relationships and emotional security. The relational perspective based on attachment theory helps nurses understand the internal mechanism of childhood social withdrawal from the level of emotional bonds and psychological security, and provides a clear theoretical basis for nursing interventions. Different from interventions that simply emphasize behavior modification, psychological nursing places more emphasis on helping children gradually enhance social confidence in a safe environment through emotional support, relationship establishment, and progressive guidance. The strategies proposed in this paper, including emotional validation, social skill modeling, progressive social exposure, and establishment of a trusting nurse-patient relationship, have strong adaptability to nursing contexts and can be applied to pediatric clinical nursing, community child health care, family follow-up and other practical scenarios. In addition, strengthening nurses' professional training in children's psychological development and attachment theory, and integrating resources such as psychology and education through multidisciplinary collaboration are important guarantees to improve the effect of nursing interventions. Future nursing research can further combine empirical research methods to evaluate the effect of attachment theory-based psychological nursing interventions in different child populations, providing a more solid evidence-based basis for childhood psychological nursing.

In summary, attachment theory provides a relational perspective beyond the behaviorist paradigm for understanding and intervening in childhood social withdrawal. The nursing intervention pathway constructed in this paper transforms abstract attachment principles into operable practical strategies in clinical and community nursing, which not only improves the theoretical depth and targeting of nursing interventions but also lays a theoretical foundation for nurses to play a more active and professional role in multidisciplinary teams for children's mental health. Future research should strive to test the validity and applicability of this intervention pathway in different child populations and nursing contexts through rigorous empirical design, so as to provide a basis for constructing evidence-based childhood psychological nursing programs.

References

- [1] Rubin K H, Stewart S L, Coplan R J. Social withdrawal in childhood: Conceptual and empirical perspectives[J]. *Encyclopedia of Evolutionary Psychological Science*, 2021: 7767–7775.
- [2] McLeod S. John Bowlby's Attachment Theory[J]. *Simply Psychology*, 2025.
- [3] Attachment Theory in Educational Psychology[J]. *Frontiers in Psychology*, 2025.
- [4] McLeod S. John Bowlby's Attachment Theory[J]. *Simply Psychology*, 2025.
- [5] Ainsworth M D S, Blehar M C, Waters E, Wall S. *Patterns of Attachment: A Psychological Study of the Strange Situation*[M]. Hillsdale, NJ: Erlbaum, 1978.
- [6] Bretherton I. The origins of attachment theory: John Bowlby and Mary Ainsworth[J]. *Developmental Psychology*, 1992.
- [7] Sroufe L A, Waters E. Attachment as an organizational construct[J]. *Child Development*, 1977, 48(4): 1184–1199.
- [8] Ding Y H. Early childhood attachment emotion and social development[J]. *Chinese Journal of Child Health Care*, 2019, 27(8): 596–599.
- [9] Ding X C, Zhou T, Zhang R Z, et al. Childhood social avoidance behavior: Causes, measurement methods and adaptive functions[J]. *Developmental and Educational Psychology*, 2019, 42(3): 604–613.
- [10] Ding X, Zhang W, Ooi L L, Coplan R J, Zhang S, Dong Q. Longitudinal relations between social avoidance, academic achievement, and adjustment in Chinese children[J]. *Journal of Applied Developmental Psychology*, 2023, 79: 101385.
- [11] Gazelle H. Two models of the development of social withdrawal and social anxiety in childhood and adolescence[J]. *Children*, 2022, 9(5): 734.

- [12] Coplan R J, Armer M. “Multitude” of solitude: A closer look at social withdrawal and nonsocial play in early childhood[J]. *Child Development Perspectives*, 2007, 1(1): 26–32.
- [13] Scaife J, Henderson K, Creswell C. Care practices and approaches with children experiencing attachment difficulties: A scoping review[J]. *Child Abuse & Neglect*, 2023, 150: 106297.
- [14] Letourneau N L, Duffett-Leger L, Salmani M, et al. Attachment-Based Parenting Interventions and Evidence of Effectiveness: An Overview[J]. *Clinical Child and Family Psychology Review*, 2022.
- [15] Rubin K H, Coplan R J. Social withdrawal and social skills intervention in childhood[J]. *Annual Review of Psychology*, 2021.